

# Project Management Office in Clinical Research Projects

Hamid Reza Aghayan<sup>1,2</sup>, Seyed Abdolreza Babamahmoudi<sup>3</sup>, Parisa Goodarzi<sup>1</sup>, Seyed Hassan Emami-Razavi<sup>1</sup>, Abbas Norouzi-Javidan<sup>1</sup>, Bagher Larijani<sup>2</sup>, Babak Arjmand<sup>1,2,\*</sup>

\*Corresponding author: Babak Arjmand, Brain and Spinal Injury Research Center and Endocrinology and Metabolism Research Center, Tehran University of Medical Sciences, Imam Khomeini Hospital, Keshavarz Blvd., Tehran, Iran. Tel.: +98-2188220038, Fax: +98-2188220052, E-mail: b\_arjmand@farabi.tums. ac, irarjmand\_itb@yahoo.com.

#### ABSTRACT

**Context:** Clinical research is an interdisciplinary project which has been given a high priority by health organizations. Because of its complexity and importance, most of health system authorities have supported the using of project management knowledge and skills in performance of health and clinical researches.

**Evidence Acquisition:** Establishing portfolio management within a project management office can help investigators with the performance of their research projects and increasing efficiency of research projects by centralizing and consolidating.

**Results:** PMO and its counterparts for instance, clinical trial office and office for good clinical practice can play an important role in the best performance of clinical and health research projects.

Conclusions: In this study we will describe the crucial role of project management and also project management office in clinical research projects.

Keywords: Clinical Protocols; Knowledge; Research

Copyright © Tehran University of Medical Sciences.

Article type: Review Article; Received: 10 Apr 2012; Revised: 10 May 2013; Accepted: 09 Jun 2013; Epub: 01 Apr 2014, Ppub:20 Apr 2014

▶Implication for health policy/practice/research/medical education:

This article is recommended for health policy makers, clinical researchers and trialists.

### ▶Please cite this paper as:

Aghayan HR, Babamahmoudi SA, Goodarzi P, Emami-Razavi SH, Norouzi-Javidan A, Larijani B, Arjmand B. Project Management Office in Clinical Research Projects. Arche Neuro Sci. 2014; 1(1): 3-6. DOI: 10.5812/archenurosci.9070

▶Copyright © Tehran University of Medical Sciences.

This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/3.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

<sup>&</sup>lt;sup>1</sup> Brain and Spinal Injury Research Center, Tehran University of Medical Sciences, Tehran, Iran

<sup>&</sup>lt;sup>2</sup> Endocrinology and Metabolism Research Center, Tehran University of Medical Sciences, Tehran, Iran

<sup>&</sup>lt;sup>3</sup> Health Management Research Center, Baqiyatallah University of Medical Sciences, Tehran, Iran

Aghayan HR et al. PMO in Clinical Research

### 1. Context

Different types of researches are performed in the field of health and medical sciences worldwide, for instance; behavioral studies, genetic researches, physiological studies, public health, and clinical researches. Nowadays, researchers have formed a second opinion regarding more applied approach and translational investigations. Therefore, translational medicine disciplines are conducted within and across research centers and organizations (1). While it seems that clinical and translational studies have been given a high priority by health authorities. Hence, the role of health and clinical professionals are redefined as clinical research nurses or staff to assure participant safety, integrity of protocol implementation, accuracy of informed consent obtaining procedure and data quality, and followup (2). As a project, clinical and health research studies need to manage to deliver on-time, on-budget and of defined quality by using project management knowledge and skills. However, there is little published documentation describing project management use in performing clinical or health research projects (3). In this paper the authors tried to define the functional role of project management and also project management office (PMO) in implementing clinical research, and subsequently considerable improvement in research efficiency, participant safety, and the quality of data.

# 2. Evidence Acquisitions

### 2.1. Clinical Research Project

Research is a project that has been defined as a unique and scheduled complex attempt to achieve specific and predefined objectives by using limited budget and resources which is usually no repetitive within an organization. Furthermore, research activity is adjusted to the interests, needs and values of the stakeholders and community, particularly, health and clinical research, adjusted to translational investigations and their applications in health and medicine (4, 5). As a rule, research question should cause a hypothesis and potentially provide innovative results that have an impact on community. Moreover, various health care management and policy decisions are being directed by clinical and health researches (6,7). Recently, some health research projects have been conducted and followed by considerable impact on public health (5). In this arena, clinical research professionals need not only to learn several clinical and critical thinking skills, but also to spread their knowledge of the administrative, ethical, and scientific scenes of clinical research (2).

# 2.2. Clinical Research Project Management

The project management body of knowledge (PMBOK) guide has described five processes of project manage-

ment as initiating, planning, executing, controlling and monitoring, and closing across the life cycle of projects (3). In addition, basic procedures of the management are defined as planning, organizing, directing, and controlling (8). Health and clinical researches are instances of project which take systematic efforts to answer or solve specific health related problems with introduced solutions. Thus, the same principles and methods of management are performed in health research project management (2, 9) since, most of project management features are common to clinical researches and other types of project. These features include; defining and formulating clear objectives and aims with specific outputs (initiation), organizing a team with the requisite knowledge and skills (Planning), setting a timeline and an appropriate methodology (Planning), defining resources to achieve the project objectives (Planning), defining tasks, roles, and activities for all team members which should be completed (Planning), planning for risk management (Planning), conducting the project (executing), operating a quality control system, and finally monitoring progress in accordance with the project program (controlling and monitoring), (9, 10). Accordingly, project management knowledge is used by different systems and disciplines including health and medicine. Usually, several projects include, health organization projects have failed to meet their performance targets on time, within budget, and with the expected quality. While it could be avoided by performing project management (3, 11). There are several clinical studies that used project management skills and knowledge, and showed the usefulness of this part of knowledge in clinical investigation and management (9). It is elucidated that clinical (trial) studies need to establish and implement project management systems, irrespective of the size, scope, costs or duration

### 2.3. Good Clinical Practice (GCP)

Randomized clinical trial (RCT) as a valuable instance of clinical researches is the gold standard to appraise therapeutic interventions and supply the practice of evidence-based medicine. However, the success of this type of clinical researches relies on the elements of the study design and management (12). GCP is the standard of clinical trial studies which assists scientists to ensure that the appropriate scientific design, rights, safety, informed consent, well-being of research subjects, good performance, and desirable quality of data are being protected in this manner (2, 13). However, many clinical trials are failing in their duties owing to the lack of an organized, practical, administrative approach to clinical trial research management (10). Therefore, most of clinical trial studies intuitively use several methods and knowledge of management principles (10). In recent years, clinical trial office (CTO) has issued within the health and clinical research centers an infrastructure to PMO in Clinical Research Aghayan HR et al.

unify administrative activities (14), and also to provide a central comprehensive program of financial, legal, and managerial support to the clinical research investigators. Furthermore, the office of good clinical practice (O-GCP) is the focal point within FDA for GCP in human research trials regulated by FDA with the same responsibilities (15). Accordingly, a national instance for PMO is the clinical trial center (CTC) which was established in Tehran University of Medical Sciences (TUMS) as an authorized body to centralize and also to control the management of clinical trial projects.

# 2.4. Portfolio Management

Portfolio management is defined as "centralized management of one or more portfolios, which includes identifying, prioritizing, authorizing, managing, and controlling projects, programs, and other related works, to achieve specific strategic Objectives " (16) with various fundamental activities include; opportunity recognition, return on investment (ROI) forecasting and value definition, project prioritization, planning, scheduling, project management and execution, and performance monitoring, and measurement (11). In mature organizations, multiple programs or projects may be considered in portfolio frameworks adjusted to greater strategic goals of the organization (16). In healthcare system including health research arrangement many projects fail because of poor portfolio management which most often, is established within a program or project management office (PMO) or project support office (PSO) to allocate and manage several limited resources (11).

# 2.5. Project Management Office (PMO) in Clinical Researches

Because of the cost and complexity limitations, clinical studies need comprehensive planning, performing, monitoring, and assessment to cover the entire scope of the project (2, 17). As project planning and administration mean more than just a Gantt chart, they can direct the project and promote its growth and success (17). Recently, the value of consolidation or centralization of administrative functions in different projects has been elucidated (14). Indeed, its best performance strongly relies on establishment portfolio management within a PMO. Although, in recent years, CTO and O-GCP have been introduced to increase the capability of clinical trial studies, there are still various challenges with the authorization and governance structure for clinical trial research administration (14, 15). CTO and O-GCP are two counterparts of PMO (in usual project management systems) with the similar responsibilities. In the FDA, O-GCP is a focal point for performing clinical trials and also human Subject Protection (15). These organizational bodies assigned various duties relevant to the centralized and coordinated management of those projects under their arena. A PMO supports project managers in various ways for instance; managing resource allocation across all projects administered by the PMO, designing and developing project methods, coaching, mentoring, training, monitoring compliance with standard policies via audit plans, centralizing and coordinating communication across projects among project managers, sponsors, and other stakeholders (18, 19). The PMO can also be responsible for administering project proposals (20). PMO and its counterparts can improve project management performance and reduce the number of "runaway" projects, run over budget, or become compromisingly delayed (21).

## 3. Results

Health and clinical research is an interdisciplinary process which is affected by patient care system, public health, health management, and health policy design (7). Moreover, clinical research has some limitations and complexity due to involving human subjects and various stakeholders, including sponsors, scientists, staff, project managers, ethics committees, regulatory authorities, research subjects, and some others (22). Therefore, successful performance of clinical researches crucially depends on implementing well-organized plan and a multidisciplinary approach (23, 24). On the other hand, several health activities such as medical services and researches fall within the project field. This concept suggests that medical and healthcare professionals need to learn project management skills, and adopt them for the field of health and medicine (25). The authors have several experiences about the clinical (trial) projects that were performed by Brain and Spinal Injury Research Center and also Endocrinology and Metabolism Research Institute (affiliated to TUMS) (26-30). Some of the mentioned clinical trials were recognized as national projects which had been supported by the government. For instance, autologous Schwann cell therapy for the treatment of spinal cord injury and fetal stem cell transplantation project were performed as multi centric clinical trials in the country (28, 30). Although, these projects were conducted in a clear framework, according to an accurate timeline, and based on an exact method, a project management concept and framework were needed for centralizing trial management, and performing these types of clinical trials on budget, time, and scope of the designed plan and method. Nowadays, the importance of project management skills and consolidation or centralization of administrative functions are actively supported by scientists in different fields of research such as clinical (trial) studies (14). Indeed, healthcare or health research organizations can use portfolio management within a PMO to ensure the best performance of its programs and projects by using the set aside resources and obtaining favorable outcomes and subsequently impact on health and medicine (11). PMO and its counterparts in medical and health research system (CTO, O-GCP) can help researchers

Arch Neurosci. 2014; 1(1) 5

Aghayan HR et al. PMO in Clinical Research

or research managers to increase the efficiency of clinical studies by centralizing and consolidating of projects. In addition, PMO provides an optimized circumstance of resource allocation, project methods, and processes standardization, monitoring, auditing, data management, and etc.

### 4. Conclusions

In summary, PMO in health and clinical research is an office or group which defines and maintains the standards and processes related to research project management with the capacity to institute a wide variety of desirable changes within the organization.

# Acknowledgements

The authors would like to thank Mehrnaz Sahebjam, Firoozeh Ghaderi, Mozhgan Hassanpour-Goudarzi, Maryam Kavousi, and Mahrokh Nikmohamadi for their considerable assistance.

### **Authors' Contribution**

Study concept and Idea: Arjmand B, Babamahmoudi SA, and Larijani B. Drafting of the manuscript: Ajmand B and Goodarzi P. Critical revision of the manuscript: Aghayan HR and Emami-Razavi SH. Literature review: Arjmand B, Goodarzi P, and Norouzi-Javidan A.

### **Financial Disclosure**

None declared.

# **Funding/Support**

None declared.

### References

- Beukers MW. Project management of life-science research projects: project characteristics, challenges and training needs. *Drug Discov Today*. 2011;16(3-4):93-8
- Hastings CE, Fisher CA, McCabe MA, Allison J, Brassil D, Offenhartz M, et al. Clinical research nursing: a critical resource in the national research enterprise. Nurs Outlook. 2012;60(3):149-156 e1-3
- Payne JM, France KE, Henley N, D'Antoine HA, Bartu AE, Elliott EJ, et al. Researchers' experience with project management in health and medical research: results from a post-project review. BMC Public Health. 2011;11:424
- Kangis P, Lee-Kelley L. Project leadership in clinical research organisations. Int J Project Manage. 2000;18(6):393-401
- Smith N, Mitton C, Peacock S, Cornelissen E, MacLeod S. Identifying research priorities for health care priority setting: a collaborative effort between managers and researchers. BMC Health Serv Res. 2009;9:165
- Chung KC, Shauver MJ. Fundamental principles of writing a successful grant proposal. J Hand Surg Am. 2008;33(4):566-72

- Cordell WH, Overhage JM, Waeckerle JF. Strategies for improving information management in emergency medicine to meet clinical, research, and administrative needs. The Information Management Work Group. Ann Emerg Med. 1998;31(2):172-8
- 8. Shirley D. Project Management for Healthcare: CRC Press. 2011
- Bernad SI. Health Project Between Neighbouring Countries. Csoti-hpv Project.
- 10. Farrell B, Kenyon S, Shakur H. Managing clinical trials. *Trials*.
- Pickens S, Solak J. Successful healthcare programs and projects: organization portfolio management essentials. J Healthc Inf Manag. 2005;19(1):19-27
- Chew EY. The value of randomized clinical trials in ophthalmology. Am J Ophthalmol. 2011;151(4):575-8
- Pandya DP, Dave J. Protection of human subjects in clinical research: the pitfalls in clinical research. Compr Ther. 2005;31(1):72-7
- 14. Rubin E, Lazar D. Clinical Trials Offices: What's New In Research Administration?
- Food and Drug Administration, US Food and Drug Administration. 2007; Available from: http://www.fda.gov.
- 16. Richman L. Successful Project Management: AMACOM. 2011
- Halloran L. Clinical study project plans. Journal of clinical research best practice. 2010;6(9):1-6
- 18. P.M. A Guide to the Project Management Body of Knowledge: PM-BOK® Guide. 2008. Project Management Institute.
- Thomsett MJ. Referrals for tall stature in children: a 25-year personal experience. J Paediatr Child Health. 2009;45(1-2):58-63
- Frigenti ED. The practice of project management: a guide to the business-focused approach. Comninos. Kogan Page. 2002
- Julian J. How project management office leaders facilitate crossproject learning and continuous improvement. Pro Manage J. 2008;39(3):43-58.
- World Health Organization WHO. Handbook for good clinical research practice (GCP): guidance for implementation. *Geneva*. 2005
- Rico-Villademoros F, Hernando T, Sanz JL, Lopez-Alonso A, Salamanca O, Camps C, et al. The role of the clinical research coordinator-data manager-in oncology clinical trials. BMC Med Res Methodol. 2004;4:6
- Weber RJ, Cobaugh DJ. Developing and executing an effective research plan. Am J Health Syst Pharm. 2008;65(21):2058-65
- Sa Couto J. Project management can help to reduce costs and improve quality in health care services. J Eval Clin Pract. 2008;14(1):48-52
- Aghayan HR, Arjmand B, Norouzi-Javidan A, Saberi H, Soleimani M, Tavakoli SA, et al. Clinical grade cultivation of human Schwann cell, by the using of human autologous serum instead of fetal bovine serum and without growth factors. *Cell Tissue Bank*. 2012;13(2):281-5
- 27. Larijani B, Arjmand B, Amoli MM, Ao Z, Jafarian A, Mahdavi-Mazdah M, et al. Establishing a cGMP pancreatic islet processing facility: the first experience in Iran. *Cell Tissue Bank*. 2012;**13**(4):569-75
- Saberi H, Moshayedi P, Aghayan HR, Arjmand B, Hosseini SK, Emami-Razavi SH, et al. Treatment of chronic thoracic spinal cord injury patients with autologous Schwann cell transplantation: an interim report on safety considerations and possible outcomes.
   Neurosci Lett. 2008;443(1):46-50
- 29. Saberi H, Firouzi M, Habibi Z, Moshayedi P, Aghayan HR, Arjmand B, et al. Safety of intramedullary Schwann cell transplantation for postrehabilitation spinal cord injuries: 2-year follow-up of 33 cases. J Neurosurg Spine. 2011;15(5):515-25
- 30. Ghodsi M, Heshmat R, Amoli M, Keshtkar AA, Arjmand B, Aghayan H, et al. The effect of fetal liver-derived cell suspension allotransplantation on patients with diabetes: first year of follow-up. *Acta Med Iran*. 2012;**50**(8):541-6

6 Arch Neurosci. 2014; 1(1)