Published online 2021 July 20.

Letter

French Paradox, Alcohol, and Health Related Concerns

Hossein Ghahremani 💿¹ and Siamak Salami 💿^{1,*}

¹Cell Death and Differentiation Signaling Research lab, Department of Clinical Biochemistry, School of Medicine, Shahid Beheshti University of Medical Sciences, Tehran, Iran

^{*} Corresponding author: Cell Death and Differentiation Signaling Research lab, Department of Clinical Biochemistry, School of Medicine, Shahid Beheshti University of Medical Sciences, Tehran, Iran. Tel: +98-2123872570, Fax: +98-2122439974, Email: salami.si@sbmu.ac.ir

Received 2020 May 26; Revised 2020 July 24; Accepted 2020 September 13.

Keywords: French Paradox, Alcohol, Cancer, Cardiovascular Disease

Dear Editor,

The French paradox (FP) is the paradoxical association of high intake of saturated fat with low cardiovascular disease (CVD) mortality, which was initially attributed to consumption of red wine and its anti-oxidant poly-phenols (1). However, the concentration of antioxidants in dietary sources is negligible and can vary dramatically depending on the geographical area, harvesting year, plant diseases, and plenty of other factors (2). Therefore, not strong lines of evidence are backing up the red wine-related cardiovascular benefits, and the impacts of polyphenols on the explanation of the French paradox has been overrated (2). Actually, the trend of wine consumption is decreasing in France but cardiovascular mortality has remained at a low level. Conversely, the increasing demand for red wine consumption in Eastern Europe does not shrink the worryingly high rates of CVD.

It is reported that dairy products consumption and heart disease have an inverse correlation (3). Hence, Petyae et al. assumed that the occurrence of the "French paradox" might be a result of high dietary consumption of specific kinds of dairy products such as molded varieties of cheese (4). Indeed, it has been suggested that cheese consumption, via affecting the gut microflora and cholesterol metabolism, could be a central part of an FP set. Besides, Frank Cooper highlighted the very low trans and contents of the French diet as the reason for the observed French Paradox (5). Among other hypotheses that have been proposed in this regard "alkaline phosphatase" hypothesis can be noted. According to this hypothesis, numerous components of milk such as calcium, casein, and lactose directly activate intestinal isoform of alkaline phosphatase, which then inhibits chronic low-grade inflammation by detoxification of lipopolysaccharide and other microbial pro-inflammatory components. Inhibition of Low-grade inflammation eventually ameliorates the risk of CVDs (6).

In contrast to wobbly proofs of positive impacts of red wine on CVD, the observed connection between alcoholic drinks consumption, of any type, and occurrence of various cancers are well documented and a commonly 'safe' margin for alcohol consumption has not been identified vet. World Health Organization reported that in 2012, alcohol consumption was related to around 3.3x10⁶ deaths and was also played partial role in over two hundred healthrelated disorders such as gastrointestinal diseases, fetal alcohol syndrome, and infectious diseases (7). In a study published in the Lancet, it is reported that among Russians, alcohol played a role in over 50% of 15 - 54 years' deaths (8). In the UK, Allen et al. conducted a fascinating large cohort including more than 1 million middle-aged women, who attended breast cancer screening clinics between 1996 and 2001. Seven years follow-up showed risk of certain cancers of the upper aerodigestive tract, rectum, liver, and breast were increased in women consuming even low to moderate alcohol (9). Moreover, the higher risk of breast and some gastrointestinal cancers was observed in the light drinkers (10).

Indeed, it is hard to ignore the well-documented harmful effects of alcohol on the occurrence of cancer diseases, liver cirrhosis, violence, and accidents in lieu of the possible beneficial effects of alcoholic beverages on CVD (11).

Footnotes

Authors' Contribution: Both authors have the same contribution in the literature review, drafting of the letter, and its final polishment.

Conflict of Interests: There is no conflict of interest.

Funding/Support: There is no funding/support.

Copyright © 2021, Author(s). This is an open-access article distributed under the terms of the Creative Commons Attribution-NonCommercial 4.0 International License (http://creativecommons.org/licenses/by-nc/4.0/) which permits copy and redistribute the material just in noncommercial usages, provided the original work is properly cited.

References

- Artaud-Wild SM, Connor SL, Sexton G, Connor WE. Differences in coronary mortality can be explained by differences in cholesterol and saturated fat intakes in 40 countries but not in France and Finland. A paradox. *Circulation*. 1993;88(6):2771–9. doi: 10.1161/01.cir.88.6.2771. [PubMed: 8252690].
- Tome-Carneiro J, Gonzalvez M, Larrosa M, Yanez-Gascon MJ, Garcia-Almagro FJ, Ruiz-Ros JA, et al. Resveratrol in primary and secondary prevention of cardiovascular disease: a dietary and clinical perspective. *Ann NYAcad Sci.* 2013;**1290**:37–51. doi: 10.1111/nyas.12150. [PubMed: 23855464].
- Duran Aguero S, Torres Garcia J, Sanhueza Catalan J. [Consumption of cheese and milk and chronic diseases associated with obesity, friend or foe?]. *Nutr Hosp.* 2015;**32**(1):61–8. Spanish. doi: 10.3305/nh.2015.32.1.8982. [PubMed: 26262697].
- Petyaev IM, Bashmakov YK. Could cheese be the missing piece in the French paradox puzzle? *Med Hypotheses*. 2012;**79**(6):746–9. doi: 10.1016/j.mehy.2012.08.018. [PubMed: 22981595].
- 5. Cooper-Naturopath F. Cholesterol and the French Paradox. 2nd ed. Lulu. com; 2009.

- Lalles JP. Dairy products and the French paradox: Could alkaline phosphatases play a role? *Med Hypotheses*. 2016;92:7-11. doi: 10.1016/j.mehy.2016.04.033. [PubMed: 27241245].
- WHO. Global status report on alcohol and health. World Health Organization; 2014. Available from: https://apps.who.int/iris/bitstream/ handle/10665/112736/9789240692763_eng.pdf.
- Zaridze D, Brennan P, Boreham J, Boroda A, Karpov R, Lazarev A, et al. Alcohol and cause-specific mortality in Russia: a retrospective casecontrol study of 48,557 adult deaths. *Lancet*. 2009;**373**(9682):2201-14. doi: 10.1016/S0140-6736(09)61034-5. [PubMed: 19560602]. [PubMed Central: PMC2715218].
- Allen NE, Beral V, Casabonne D, Kan SW, Reeves GK, Brown A, et al. Moderate alcohol intake and cancer incidence in women. J Natl Cancer Inst. 2009;101(5):296-305. doi: 10.1093/jnci/djn514. [PubMed: 19244173].
- Bagnardi V, Rota M, Botteri E, Tramacere I, Islami F, Fedirko V, et al. Light alcohol drinking and cancer: a meta-analysis. Ann Oncol. 2013;24(2):301-8. doi: 10.1093/annonc/mds337. [PubMed: 22910838].
- Renaud S, de Lorgeril M. Wine, alcohol, platelets, and the French paradox for coronary heart disease. *Lancet.* 1992;339(8808):1523–6. doi: 10.1016/0140-6736(92)91277-f. [PubMed: 1351198].