Published online 2018 September 12.

Original Article

Path Analysis of Self-Efficacy, Critical Thinking Skills and Emotional Intelligence for Mental Health of Medical Students

Ali Morad Heidari Gorji¹, Misagh Shafizad², Aria Soleimani^{3,*}, Morteza Darabinia⁴ and Amir Hossein Goudarzian⁵

¹Education Development Center, Mazandaran University of Medical Sciences, Sari, Iran

²Department of Neurosurgery, Emam Khomeini Hospital, Mazandaran University of Medical Sciences, Sari, Iran

³Department of Anesthesiology, School of Medicine, Mazandaran University of Medical Sciences, Sari, Iran

⁴Department of Medical, Mazandaran University of Medical Sciences, Sari, Iran
⁵Student Research Committee, Mazandaran University of Medical Sciences, Sari, Iran

^{*} Corresponding author: Assistant Prof, Department of Neurosurgery, Emam Khomeini Hospital, Mazandaran University of Medical Sciences, Sari, Iran. Tel/Fax: +98-1133165852, Email: a46soleimani@gmail.com

Received 2017 August 05; Revised 2018 May 07; Accepted 2018 May 12.

Abstract

Background: Mental health of medical students can be affect by quality of services in hospitals; therefore, it is essential to evaluate its effective factors. However, according to the available data, there were no similar published studies that assess the possibility of linkage between these factors with mental health, in Iranian medical students.

Objectives: The aim of this study was to identify the pathways applied by self-efficacy, critical thinking skills, and emotional intelligence, which influences the mental health of medical students.

Methods: This cross-sectional study was implemented in 2016. The population of the study consisted of medical students in Mazandaran University (Sari, Iran). Self-efficacy questionnaire of Sheerer, critical thinking skills of California (Form B), standard emotional intelligence questionnaire of Petridis, and general health questionnaire of Goldberg were used for data collecting. The data were analyzed in SPSS 18.0 for Windows (SPSS Inc., Chicago, IL, USA) by descriptive and inferential statistic operations (path analysis). **Results:** The results showed that the average age of students participating in the study was 22.68 (SD = 1.12; 95% CI = 21.56 - 23.87). The

direct path coefficient for critical thinking of mental health was -0.25, which was negative and significant (P < 0.001). In addition, a direct relationship between the emotional intelligence and mental health was found (path coefficient = -0.39).

Conclusions: Generally, the results showed that both emotional intelligence and critical thinking play an important role in the mental health of self-reliant students. In addition to a direct effect, emotional intelligence had an impact on self-efficacy mediated mental health.

Keywords: Medical Students, Self-Efficacy, Emotional Intelligence, Mental Health, Path Analysis

1. Background

World Health Organization (WHO) experts, define mental health as a harmonious relationship with others, improvement and modification of personal and social situations, as well as reasonably, fairly, and appropriately resolving anxieties and personal interests (1, 2). Mental health problems are increasing among many students (3). Severe mental disorders were reported in 86% of students, in the national survey of Counseling Center College (4, 5).

Various factors can affect mental health. Critical thinking is one of these factors, which recently has attracted many trends (6). Students who focus on issues and problems adapt better with various situations, which leads to better mental health (7, 8). Improving the thinking process is the center of critical thinking (6). Interpretation, explanation, and self-regulation are considered as key components of critical thinking (9). Critical thinking is defined as exploring a question, problem, or situation for integrating all the available information regarding the studied subject as well as giving a solution or hypothesis to justify an individual's orientation (10). Along with developments acceleration and experiences gained in the beginning of the twentieth century, medical education should train graduates who are able to solve the problem, have communicative skills, and comprehensive approach to health (11). Education system of universities mainly consists of a combination of information and concepts; however, they ignore analyzing, prioritizing the positions, and organizing new sciences, which is required by critical thinking (12).

The second effective factor in mental health is selfefficacy, which recently possesses a special trend in differ-

Copyright © 2018, Author(s). This is an open-access article distributed under the terms of the Creative Commons Attribution-NonCommercial 4.0 International License (http://creativecommons.org/licenses/by-nc/4.0/) which permits copy and redistribute the material just in noncommercial usages, provided the original work is properly cited.

ent aspects of life and health (13). It also plays an important role in individuals' thoughts, adapting with problems, tension, and decision making (14). Strong self-efficacy beliefs lead to relaxation, which seems to be a good predictor for mental health. Researches have shown that there is a significant relationship between self-efficacy and behavioral problems (15). In other words, self-efficacy is a prediction factor for health-related changes of behaviors, which have a positive impact on self-abilities, and have a great role on mental illnesses treatment (16).

The emotional intelligence is the third effective factor on mental health. The concept of emotional intelligence refers to the adaptability and prosperity of people in life situations (17). Researches have shown that feelings and emotions, like any other scientific issue, consists of principles and procedures (18). Emotional intelligence levels of individuals can make people flexible, adaptable, humanitarian, and successful in their personal and social life. Therefore, emotional intelligence plays an important role in people' success due to its relationship with important personal and social skills of life (19-21). However, according to the available data, there were no similar studies that assess the possible linkage between these factors and mental health in Iranian medical students. In addition, path analvsis shows better and reliable results unlike the other simple statistical methods; there are no similar studies that applied this method.

2. Objectives

Therefore, regarding the importance of the issue, we examined the relationship between critical thinking, selfefficacy, and emotional intelligence with student's mental health in Mazandaran University of Medical Sciences, using path analysis model. In the proposed model, we checked the indirect effect of critical thinking, emotional intelligence, and mediating role of self-efficacy on mental health. The following hypotheses were selected for this study:

H1. Critical thinking beliefs possess a significant relationship with mental health.

H2. Self-efficacy possesses a significant relationship with mental health.

H3. Emotional intelligence possesses a significant relationship with mental health.

3. Materials and Methods

This cross-sectional study was implemented in 2016. Statistical population of the study included students of Mazandaran University of Medical Sciences (Sari, Iran). Applying random sampling based on Krejcie and Morgan's table, a total of 500 students were selected as the study sample (22). Students were selected from all departments of the university (it had been attempt for sampling equally from each department, based on the total number of students).

3.1. Eligible Criteria and Procedures

Eligible students for this study included (i) individuals with no co-morbid psychiatric problems (such as schizophrenia, post-traumatic stress or other diagnosed anxiety disorder, dementia, major depressive disorder) and (ii) individuals with no physical symptom experiences that restricted the study population. The fact that excluding students with clinical depression and/or anxiety disorders need no psychiatric impairment could contribute to the presence of death anxiety. Students were also excluded in the presence of potential confounding co-occurring situations such as drug or alcohol abuse or addiction. Students with higher education levels (such as seven and eight scores for nursing students) were excluded for spending the educational process in hospitals. Then, the students were invited to participate in this study, during class meetings, and were assured that taking the survey would not affect their grades in anyway. Data were collected in a single stage by paper-and-pencil manner. Participants provided informed consent and dropped the completed questionnaires into an enclosed box. Debriefing forms were given to participants as they have exit the classroom. The institutional review approved the research prior to implementation of the research.

3.2. Instruments

Demographic, the self-efficacy scale, California critical thinking skills test (CCTST), Bradbury-Graves standard emotional intelligence questionnaire, and general health questionnaire (GHQ) were applied to collect the data.

The self-efficacy scale was introduced by Sheerer (1982), which consists of 17 five-option questions that measure three aspects of behavior: initiative, effort, and persistence (23). This questionnaire is scored based on the Likert scale, in which, higher scores indicate a stronger self-efficacy (85 is the highest score), and lower scores indicate a weaker self-efficacy (17 is the least score). In a study by Bosscher and Smit (24), Cronbach's alpha coefficient for reliability was reported as 0.69. In another study that was performed by Dehghani et al. (25), Cronbach's alpha for this questionnaire was reported as 0.81. In this study, the content validity was confirmed by 15 nurse experts. In addition, the reliability of the scale was qualified by Cronbach's alpha as 0.86. The CCTST was applied for assessing the critical thinking skill. This questionnaire introduced by Facione et al. (1990), which consists of 34 multiple-choice questions for assessing the critical thinking at five interpretation levels include analysis and evaluation (as core skills), inductive reasoning, and deductive reasoning (as traditional skills) (26). In a research by Tashi et al. (27) the reliability of proposed questionnaire was investigated and Cronbach's alpha was obtained as 0.62. In a study by Sheikhmoonesi et al. (28) the reliability of this questionnaire was achieved as 0.72. In the present study the content validity was proved by 15 nursing experts. In addition, the reliability of scale was confirmed by Cronbach's alpha as 0.79 for medical students.

Bradbury-Graves standard emotional intelligence questionnaire was used to evaluate the emotional intelligence (17). This experiment consists of 28 questions and developed based on the five-point Likert scale, in which, the questions of 1 - 6, assess self-consciousness (minimum score = 6 and maximum score = 30), questions of 7 - 15, assess self-management (minimum score = 9 and maximum score = 45), questions of 16 - 20, assess social consciousness (minimum score = 5 and maximum score = 20), and questions of 21 - 28, assess relationship management (minimum score = 8 and maximum score = 45) (19). In a study by Ganji et al. (29) the reliability of questionnaire was examined and Cronbach's alpha for this questionnaire was obtained as 0.83. In the present study, the content validity was proven by 15 nurse experts. In addition, the reliability of scale was proved by Cronbach's alpha as 0.81 for medical students.

GHQ, developed by Goldberg and Hillier (30), consists of 28 questions, which were applied to assess mental disorders. In this questionnaire, questions are answered in a 4-point Likert scale (31). Possessing the cut-off point of 23, those who have scored less than 23 are placed in the group with mental health and those who have scored higher than 23 are placed in the group with inappropriate mental health (32). The validity and reliability of this scale were previously approved by several studies (31, 32). In the present study, the reliability of questionnaire was obtained by Cronbach's alpha coefficient as 0.86.

3.3. Ethical Considerations

Ethical approval, was obtained by Research Deputy, from the Research Ethics Committee of Mazandaran University of Medical Sciences (IR.MAZUMS.REC.95. S.66). All the participants received oral and written information regarding the research objectives. It was made clear to them that their participation was voluntary, thus, all data would remain confidential. All participants should not be identified personally, and they were assured that their participation would not affect their academic attempts.

3.4. Data Analysis

The statistical tools, which apply for social sciences (SPSS V. 20 and PROCESS V. 2.04), were used for data analysis. Kolmogrov-Smirnov test was used for proving the normality (P = 0.630). For demographic analysis, means \pm standard deviations or frequencies were reported for continuous or categorical variables. Pearson correlation was used to find primary agreement between research variables. For assessing autocorrelation of residuals and independent errors, we used the Durbin-Watson test. All assumptions includint lack of multi-collinearity relationship, tolerance, and variance inflation factor (VIF) were assessed. Path analysis was run for better understanding of possible relationship between critical thinking, self-efficacy, and emotional intelligence with the mental health of students. P value (P < 0.05) was statistically significant.

4. Results

Among 500 students, according to exclusion criteria, almost 30 students were excluded. Then, 480 students were chosen for further researches, of which, 450 students were selected for the participation stage (response rate = 93%). The results showed that the average age of the students was 22.68 (SD=1.12; 95% CI=21.56-23.87). In this study, the percent of female and male participants were 42% and 58%, respectively. In Table 1, mean and standard deviation of variables for critical thinking, self-efficacy, emotional intelligence, and mental health are represented.


As shown in Table 2, all correlations between variables were considerable. The highest and lowest correlation was related to mental health and emotional intelligence as well as critical thinking and mental health, respectively. In order to investigate the relationship between critical thinking, self-efficacy, and emotional intelligence, with mental health of students, a path analysis was used, in which, the critical thinking and emotional intelligence regarded as independent variables, self-efficacy as mediating variable, and mental health as dependent variable. in addition to their direct impact, the critical thinking and emotional intelligence also affect the mental health through the mediating role of self-efficacy. The fitted model of critical thinking, emotional intelligence, self-efficacy, and mental health of students is shown in Figure 1. In Figure 1B, the


Table 1. Mean and Standard Deviation Scores of Critical Thinking, Self-Efficacy, Emo-
tional Intelligence, and Mental Health (n = 450)

Variables	Mean \pm SD	95% CI
Critical thinking	13.53 ± 8.8	12.23 - 14.56
Self-efficacy	65.6 ± 12.34	64.1-66.2
Emotional intelligence	106.5 ± 14.45	105.9 - 107.5
Mental health	21.26 ± 9.74	21.02 - 22.12

Table 2. Linear Correlation Between the Variables of Critical Thinking, Self-Efficacy, Emotional Intelligence, and Mental Health ($n = 450$)							
Variables	Critical Thinking	Self-Efficacy	Emotional Intelligence	Mental Health			
Critical thinking	1						
Self-efficacy	0.43 ^a	1					
Emotional intelligence	0.52 ^a	0.39 ^a	1				
Mental health	-0.49 ^a	-0.64 ^a	-0.70 ^b	1			

 $^{a}P < 0.001$ ${}^{b}P < 0.05$





standardized weights were reported for showing path coefficients. All of the path coefficients were significant at P < 0.001.

The variance inflation factor of the predictor variable was 2.36. According to Figure 1, there is mutual correlation between critical thinking and self-efficacy (path coefficient = 0.77). The path coefficient between critical thinking and self-efficacy was 0.26. However, the direct path coefficient between critical thinking and mental health was -0.25, (P < 0.001). The path coefficient between emotional intelligence and self-efficacy was 0.64, and the direct path coefficient between emotional intelligence and mental health was -0.39. The path coefficient between self-efficacy and mental health was -0.32, which was significant. Indirect path coefficient between critical thinking and mental health (self-efficacy variable = -0.08), and between emotional intelligence and mental health (selfefficacy variable = -0.20) were not significant. Generally, the results showed that both emotional intelligence and critical thinking, play an important role in the students' mental health mediated by self-efficacy. In addition to its direct effect, the emotional intelligence it has also has an effect on mental health through self-efficacy, however, the direct effect of critical thinking on mental health was more than its indirect impact through self-efficacy. Critical thinking through emotional intelligence had a low impact on mental health. The fit indices of model are shown in Table 3. The obtained data confirmed a remarkable path model for mental health.

Table 3. Indices of the Path Model Fit							
Indices	RSMEA	χ^2	AGFI	Fit Indices	GFI		
Value	0.03	1.2	0.92	-	0.91		

5. Discussion

Results showed that the provided path model had a good compatible with obtained data; thus, mental health can be explained by critical thinking, self-efficacy, and emotional intelligence. There was a positive and significant correlation between critical thinking and emotional intelligence. The path coefficient between critical thinking and self-efficacy was positive and considerable, however, the direct path coefficient between critical thinking and mental health was negative and significant. In other words, obtaining higher scores in mental health questionnaire represent a lower mental health. Therefore, people with a higher critical thinking possess higher mental health. The achieved data are reasonable due to the fact that it seems that critical thinking has been accepted as a key component in mental health. In a research by Bijnavand et al. (33) it was concluded that there is a negative relationship between critical thinking and mental health, which was compatible with the results of our study. Many studies have shown that students who focus and think on issues have higher critical thinking skills and are more able to adapt themselves with various positions and possess a better mental health (34, 35). The above findings are coordinated with those researches, which show a significant and positive correlation between critical thinking and public health (36, 37).

The findings showed that the path coefficient between emotional intelligence and self-efficacy and between emotional intelligence and mental health were considerably positive and negative, respectively. The positive relationship between self-efficacy and emotional intelligence indicates that the person with higher emotional understanding possess an appropriate relationship with others and has a higher self-efficacy (38). People who cannot discern others' emotions have a weaker social adaptability, which leads to a reduced social supports and sense of self-efficacy, due to the fact that according to Bandura' research, encouragement and approval of others is one of the selfefficacy factors (39). In other words, individuals who are able to understand and regulate the emotions of themselves and other people can establish strong social support networks, and consequently, possess more empowerment feelings. In contrast, individuals with low emotional intelligence are not able to distinguish and adapt their feelings with others, which is a prerequisite for social relationships. These people tend to attempt rather than discussing in distress times (40).

Path coefficient between emotional intelligence and mental health was negative, which suggests that students with higher levels of emotional intelligence possess a better mental health (41), that is coordinated with result of Aradilla-Herrero et al. (42) and Resurrección et al. (43). Indirect path coefficient between critical thinking and mental health, by considering the self-efficacy, was not significant. Indirect path coefficient between emotional intelligence and mental health by considering the self-efficacy was significant, which both of them were less than that of direct path coefficients. In addition, path coefficient between self-efficacy and mental health was significant and negative. It is suggested that people with poor self-efficacy attitude tolerate more difficulty, lead to increase the stress, and reduce the mental health. In contrast, strong selfefficacy beliefs result in relaxation and can predict the metal health of individuals (44).

5.1. Limitations

The present study also had some major limitations included (1) controlling the emotions and cultural differences between participants, (2) possible carelessness of students during complete the questionnaires, and (3) small sample size, which may limit the generalizability of results. Therefore, it is recommended for more research to be done for detail assessing of this issue.

In addition, qualitative studies can be performed for probably solving of cultural differences.

5.2. Implications for Psychiatry and Behavioral Sciences Practices, Medical Education and Future Trends

According to the obtained data, it is possible to suggest the increased mental health of students. It seems that considerable evaluations regarding possessing the emotional intelligence and critical for students would help increase the mental health levels. It is recommended to percept these factors and add them to educational charts in universities.

5.3. Conclusion

In totally, the results showed that both emotional intelligence and critical thinking play an important role in selfefficacy mediated mental health of students. Therefore, it seems that by emphasizing these factors for students, we can significantly improve their mental health (that results more ability for these students in work place). More researches are necessary to gain detailed and trustful results.

Footnotes

Authors' Contribution: Ali Morad Heidari Gorji, Misagh Shafizad, Morteza Darabinia and Aria Soleimani were on the management committee. Ali Morad Heidari Gorji, Misagh Shafizad, Amir Hossein Goudarzian and Aria Soleimani were responsible for data interpretation and writing the report. Ali Morad Heidari Gorji, and Misagh Shafizad did the statistical analysis. Morteza Darabinia, Amir Hossein Goudarzian and Aria Soleimani were on the writing committee. Ali Morad Heidari Gorji, Misagh Shafizad, Morteza Darabinia and Aria Soleimani reviewed and revised the manuscript. All authors reviewed the manuscript.

Declaration of Interest: None declared.

Funding/Support: None declared.

References

- Saxena S, Funk M, Chisholm D. World health assembly adopts comprehensive mental health action plan 2013-2020. *Lancet.* 2013;**381**(9882):1970–1. doi: 10.1016/S0140-6736(13)61139-3. [PubMed: 23746771].
- Jamali S, Sabokdast S, Sharif Nia H, Goudarzian AH, Beik S, Allen KA. The effect of life skills training on mental health of Iranian middle school students: A preliminary study. *Iran J Psychiatry*. 2016;**11**(4):269– 72. [PubMed: 28050189]. [PubMed Central: PMC5206331].
- Slade M, Amering M, Farkas M, Hamilton B, O'Hagan M, Panther G, et al. Uses and abuses of recovery: Implementing recovery-oriented practices in mental health systems. *World Psychiatry*. 2014;13(1):12– 20. doi: 10.1002/wps.20084. [PubMed: 24497237]. [PubMed Central: PMC3918008].
- American College Health Association. American College Health Association National College Health Assessment (ACHA-NCHA) Spring 2005 reference group data report (Abridged). J Am Coll Health. 2006;55(1):5–16. doi: 10.3200/JACH.55.1.5-16. [PubMed: 16889310].
- 5. Gallagher RP. National survey of college counseling centers 2014. 2015.
- Roberts M. Critical thinking and reflection in contemporary mental health care: A Foucauldian perspective. *Nurse Educ Today*. 2016;45:48– 50. doi: 10.1016/j.nedt.2016.06.013. [PubMed: 27429403].
- Folkman S, Lazarus RS. Stress-processes and depressive symptomatology. J Abnorm Psychol. 1986;95(2):107-13. [PubMed: 3711433].
- Hung TM, Tang LC, Ko CJ. How mental health nurses improve their critical thinking through problem-based learning. *J Nurses Prof Dev.* 2015;**31**(3):170–5. doi: 10.1097/NND.00000000000167. [PubMed: 25993456].
- Chan ZC. A systematic review of critical thinking in nursing education. Nurse Educ Today. 2013;33(3):236–40. doi: 10.1016/j.nedt.2013.01.007. [PubMed: 23394977].
- Andreou C, Papastavrou E, Merkouris A. Learning styles and critical thinking relationship in baccalaureate nursing education: A systematic review. *Nurse Educ Today.* 2014;**34**(3):362–71. doi: 10.1016/j.nedt.2013.06.004. [PubMed: 23830067].
- Samson PL. Critical thinking in social work education: A research synthesis. J Social Work Educ. 2016;52(2):147–56. doi: 10.1080/10437797.2016.1151270.

- Shoulders B, Follett C, Eason J. Enhancing critical thinking in clinical practice: Implications for critical and acute care nurses. *Dimens Crit Care Nurs*. 2014;**33**(4):207-14. doi: 10.1097/DCC.0000000000000053. [PubMed: 24895950].
- David P, Pennell ML, Foraker RE, Katz ML, Buckworth J, Paskett ED. How are previous physical activity and self-efficacy related to future physical activity and self-efficacy? *Health Educ Behav*. 2014;41(6):573–6. doi: 10.1177/1090198114543004. [PubMed: 25156312].
- Cascio MI, Magnano P, Elastico S, Costantino V, Zapparrata V, Battiato A. The relationship among self-efficacy beliefs, external locus of control and work stress in public setting schoolteachers. *Open J Social Sci.* 2014;**2**(11):149–56. doi: 10.4236/jss.2014.211021.
- Curtis R, Groarke A, Sullivan F. Stress and self-efficacy predict psychological adjustment at diagnosis of prostate cancer. *Sci Rep.* 2014;4:5569. doi: 10.1038/srep05569. [PubMed: 24993798]. [PubMed Central: PMC4081888].
- Haugland T, Wahl AK, Hofoss D, DeVon HA. Association between general self-efficacy, social support, cancer-related stress and physical health-related quality of life: A path model study in patients with neuroendocrine tumors. *Health Qual Life Outcomes*. 2016;14:11. doi: 10.1186/s12955-016-0413-y. [PubMed: 26787226]. [PubMed Central: PMC4717553].
- Nesami MB, Goudarzian AH, Zarei H, Esameili P, Pour MD, Mirani H. The relationship between emotional intelligence with religious coping and general health of students. *Mater Sociomed*. 2015;27(6):412–6. doi: 10.5455/msm.2015.27.412-416. [PubMed: 26889101]. [PubMed Central: PMC4733549].
- Malouff JM, Schutte NS, Thorsteinsson EB. Trait emotional intelligence and romantic relationship satisfaction: A meta-analysis. *Am J Fam Ther.* 2013;42(1):53–66. doi: 10.1080/01926187.2012.748549.
- Esmaeili R, Alizadeh-Navaei R, Goudarzian AH, Yousefi M. The effect of emotional intelligence training on the quality of working life in nurses. J Health Sci. 2015;3:241–7. doi: 10.17265/2328-7136/2015.05.006.
- Goudarzian AH, Esmaeili R, Alizadeh-Navaei R, Yousefi M, Balouchi A. Emotional intelligence training for reducing illicit drug use potential among Iranian nurses: A pilot study. *Iran J Psychiatry Behav Sci.* 2017;11(3). e6676. doi: 10.5812/ijpbs.6676.
- 21. Bagheri-Nesami M, Kazemi A, Goudarzian AH, Nasiri F, Davari J. Association between religious coping and quality of working life in nurses. *Iran J Psychiatry Behav Sci.* 2016;**11**(1). e4946. doi: 10.5812/ijpbs.4946.
- Krejcie RV, Morgan DW. Determining sample size for research activities. *Educ Psychol Meas.* 2016;**30**(3):607-10. doi: 10.1177/001316447003000308.
- Sherer M, Maddux JE, Mercandante B, Prentice-Dunn S, Jacobs B, Rogers RW. The self-efficacy scale: Construction and validation. *Psychol Rep.* 2016;**51**(2):663–71. doi: 10.2466/pr0.1982.51.2.663.
- Bosscher RJ, Smit JH. Confirmatory factor analysis of the general selfefficacy scale. *Behav Res Ther.* 1998;36(3):339–43. [PubMed: 9642852].
- Dehghani M, Jafari Sani H, Pakmehr H, Malekzadeh A. Relationship between students' critical thinking and self-efficacy beliefs in Ferdowsi University of Mashhad, Iran. *Procedia Social Behav Sci.* 2011;15:2952–5. doi: 10.1016/j.sbspro.2011.04.221.
- Facione NC, Facione PA, Sanchez CA. Critical thinking disposition as a measure of competent clinical judgment: The development of the California critical thinking disposition inventory. J Nurs Educ. 1994;33(8):345–50. [PubMed: 7799093].
- 27. Tashi S, Mortazavi F, Yazdani S, Mottaghipour Y. [Evaluating critical thinking skills in medical students, Isfahan University of Medical Sciences, Iran]. *Strides Dev Med Educ*. 2012;**9**(2):170–8. Persian.
- Sheikhmoonesi F, Barani H, Khademloo M, Sharifian R, Jahani M, Lamsechi H. [Critical thinking abilities among students of medicine in Mazandaran University of Medical Sciences, 2011]. J Mazandaran Univ

Med Sci. 2013;23(98):98-103. Persian.

- Ganji H, Mirhashemi M, Sabet M. Bradberry-Greaves' emotional intelligence test: Preliminary norming-process. J Thought Behav. 2006;1(2):23-35.
- Goldberg DP, Hillier VF. A scaled version of the general health questionnaire. *Psychol Med*. 2009;9(1):139. doi: 10.1017/s0033291700021644.
- de Kock FS, Gorgens-Ekermans G, Dhladhla TJ. A confirmatory factor analysis of the general health questionnaire-28 in a Black South African sample. J Health Psychol. 2014;19(10):1222–31. doi: 10.1177/1359105313488972. [PubMed: 23740263].
- Farhood LF, Dimassi H. Validation of an Arabic version of the GHQ-28 against the Beck depression inventory for screening for depression in war-exposed civilians. *Psychol Rep.* 2015;**116**(2):470–84. doi: 10.2466/08.PR0.116k23w9. [PubMed: 25826434].
- Bijnavand F, Sobhaninejad M, Nikazin A, Mohammadi Pouya S. [Surveying the relation between critical thought and quality of life, social acceptance and appreciation of medical science students]. *CPAP*. 2015;2(11):49–60. Persian.
- Papathanasiou IV, Kleisiaris CF, Fradelos EC, Kakou K, Kourkouta L. Critical thinking: The development of an essential skill for nursing students. *Acta Inform Med.* 2014;22(4):283–6. doi: 10.5455/aim.2014.22.283-286. [PubMed: 25395733]. [PubMed Central: PMC4216424].
- Brown AM. Simulation in undergraduate mental health nursing education: A literature review. *Clin Simul Nurs.* 2015;11(10):445–9. doi: 10.1016/j.ecns.2015.08.003.
- Austin EW, Pinkleton BE, Radanielina-Hita ML, Ran W. The role of parents' critical thinking about media in shaping expectancies, efficacy and nutrition behaviors for families. *Health Commun.* 2015;30(12):1256–68. doi: 10.1080/10410236.2014.930550. [PubMed: 25616579].
- Kobayashi M, Takakura M, Asikin Y, Ganaha Y, Fujita T, Yogi Y, et al. Relationship between critical-thinking and decision-making in exercise and lifestyle in adolescents. *Eur J Public Health*. 2016;26(suppl_1). doi: 10.1093/eurpub/ckw175.110.
- Mortan RA, Ripoll P, Carvalho C, Bernal MC. Effects of emotional intelligence on entrepreneurial intention and self-efficacy. J Work Organiz Psychol. 2014;30(3):97–104. doi: 10.1016/j.rpto.2014.11.004.
- Johnson SK, Blanchard A. Emotional intelligence and mental health: Stress and symptom reporting pathways. J Mental Health Couns. 2016;38(1):79–92. doi: 10.17744/mehc.38.1.06.
- Ciarrochi JV, Deane FP. Emotional competence and willingness to seek help from professional and nonprofessional sources. *Br J Guid Couns*. 2010;29(2):233–46. doi: 10.1080/03069880124843.
- Sanchez-Alvarez N, Extremera N, Fernandez-Berrocal P. The relation between emotional intelligence and subjective well-being: A meta-analytic investigation. *J Posit Psychol.* 2015;11(3):276–85. doi: 10.1080/17439760.2015.1058968.
- Aradilla-Herrero A, Tomas-Sabado J, Gomez-Benito J. Associations between emotional intelligence, depression and suicide risk in nursing students. *Nurse Educ Today*. 2014;**34**(4):520–5. doi: 10.1016/j.nedt.2013.07.001. [PubMed: 23886906].
- Resurreccion DM, Salguero JM, Ruiz-Aranda D. Emotional intelligence and psychological maladjustment in adolescence: A systematic review. J Adolesc. 2014;37(4):461–72. doi: 10.1016/j.adolescence.2014.03.012. [PubMed: 24793394].
- Andersson LM, Moore CD, Hensing G, Krantz G, Staland-Nyman C. General self-efficacy and its relationship to self-reported mental illness and barriers to care: A general population study. *Community Ment Health J.* 2014;**50**(6):721-8. doi: 10.1007/s10597-014-9722-y. [PubMed: 24676869].