Appendix 1

Call Status: No responses/Not Reachabe/Not Willing to participate in study

O	uestion	naire	of	Ide	ntity:
Y	uconon	nanv	UI	Iuci	uuuy.

Date :	(DD-MM-YYYY)					
Name :						
Date of Birth :						
Gender : Male/Female						
Address :						
Diagnosed with Down syndrome since:						
Any comorbidity:						
Daily doses of regular treatment/ :						
Duration of taking regular medication:YearsMonths						
The parents occupation :						
a. Father :	b. Mother :					
The highest level of education that parents have completed :						
a. Father :	b. Mother :					
Monthly income of the family (Father and mother) :IDR (Indonesian						
Rupiahs)/Months						

The distance between home and dr Soetomo hospital :

a. <50 km b. 51-100 km c. 101-200 km d. >200 km

Are you routinely attending the scheduled appointment in endocrine outpatient clinic dr. Soetomo Hospital **before** COVID-19 pandemic?

a. Yes b. No

Are you routinely attending the scheduled appointment in endocrine outpatient clinic dr. Soetomo Hospital **during** COVID-19 pandemic?

a. Yes b. No

Is the child taking routine medication for thyroid before COVID-19 pandemic?

a. Yes b. No

Is the child still taking routine medication for thyroid during COVID-19 pandemic?

a. Yes b. No

Assessment Questionnaire :

1. If your child continued taking medicine during COVID-19 pandemic , where do you get the medicine from?

a. Buy your self

- b. Prescription from doctor in another hospital
- c. Prescription from doctor in dr Soetomo hospital

2. Reason for not routinely attending the scheduled appointment in endocrine outpatient clinic dr. Soetomo Hospital during COVID-19 pandemic?

a. Lockdown restriction	b. Financial difficulty			
c. Transportation difficulty	d. Caretaker non-availability			
e. Other illness	f. A full-time employed parents			
g. Not aware about the need for schedule follow up				
h. Advice not to come due to hospital restriction from family/friends.				
Reasons for not routinely take medicine during COVID-19 pandemic?				
a. Non-availability of medicines				
b. Financial difficulty to buy medicines				
d. Forgetfulness				
e. Unaware of the importance of regular medication				
f. Didn't feel much improvement with the medication				
g. Not willing to continue the medication without a doctor's consultation				

3.