Published online 2022 May 7.

Research Article

A Model for Psychological Distress Based on Insecure Attachment Mediated by Alexithymia in Students at Islamic Azad Universities in Tehran

Mahsa Mahmoudi 📴 1, Hayedeh Saberi 回 1, * and Simin Bashardoust 回 1

¹Department of Psychology, Roudehen Branch, Islamic Azad University, Roudehen, Iran

corresponding author: Department of Psychology, Roudehen Branch, Islamic Azad University, Roudehen, Iran. Email: haydehsaberi@gmail.com

Received 2021 December 27; Revised 2022 March 05; Accepted 2022 April 05.

Abstract

Background: Individuals with alexithymia have a limited ability to adapt to stressful situations, leading to high levels of psychological distress, anxiety, and stress symptoms.

Objectives: This study aimed to investigate the role of insecure attachment in psychological distress within Islamic Azad Universities of Tehran in 2020 by mediating alexithymia.

Methods: The structural equation modeling (SEM) was used as the primary research method in this study. The study population included all university students between 20- and 40-years old studying at the Islamic Azad Universities of Tehran in the 2019 - 20 academic year. A total of 305 students was selected as samples using the multi-stage cluster sampling method. Several research tools were used, including the Depression Anxiety Stress Scale, the Experiences in Close Relationships-Revised (ECR-R), and the Toronto Alexithymia Scale (TAS-20). The data were analyzed using a correlation matrix in SPSS statistical software version 24 and SEM in Amos-26.

Results: The results indicated that the insecure attachment style had a direst positive effect on the states of psychological distress (anxiety, stress, and depression) (P< 0.001). Alexithymia also played a mediating role in insecure attachment affecting psychological distress (P< 0.001).

Conclusions: Results revealed in the correlation between insecure attachment and states of psychological distress mediated by the alexithymia. Given the importance of attachment style and alexithymia in the development of anxiety, stress, and depression, therapists are recommended to take these variables into account.

Keywords: Anxiety, Stress, Depression, Affective Symptoms, Students

1. Background

Students are at risk of more significant psychological distress due to the transition from adolescence to young adulthood, especially high school to university, and exposure to challenging and potentially stressful situations (1). Psychological distress refers to individual's general psychopathology along with perceived depression symptoms, anxiety, and stress (2). In other words, psychological distress is an emotional state of a person in response to a particular stressor or need that may result in temporary or permanent injury (3). A diagnosis of psychological disorder is based on the presence of other symptoms in addition to psychological distress. Therefore, various areas of a person's performance are interfered as a less severe psychological (4). Statistics indicate that the prevalence of anxiety and depression symptoms in human communities ranges

between 19 and 30%. In addition, based on the report by WHO in 2020, depression was the most prominent disorder and the second leading cause of death in the human population (1).

Attachment style is one of the factors contributing to the prevalence or exacerbation of stress, anxiety, and depression symptoms (5). Attachment consists of a longlasting emotional bond between the growing child and a caregiver that affects social development and psychological performance throughout life (6). Studies have confirmed that early attachment relationships sustain in adulthood and play an important role in an individual's emotional dysfunctions and performance and their intimate relationships throughout life (6). Bowlby suggests that infants respond based on their attachment style to separation from and return to their mother, including se-

Copyright © 2022, Journal of Health Reports and Technology. This is an open-access article distributed under the terms of the Creative Commons Attribution-NonCommercial 4.0 International License (http://creativecommons.org/licenses/by-nc/4.0/) which permits copy and redistribute the material just in noncommercial usages, provided the original work is properly cited.

cure attachment, insecure-avoidant attachment, and anxious/ambivalent attachment(7). Insecure attachment style may lead to a lack of security in interpersonal relationships and problems in identifying reality and controlling internal states and emotions, which provide the grounds for unhealthy behavior patterns, anxiety, depression, and stress (8). Bonacquisti et al. (3) reported that insecure attachment in adults is negatively correlated to mental health and related areas, including feelings of vitality, cheerfulness, motivation, freshness, and hope (3). Spruit et al. (9) found a significant positive correlation among ambivalent attachment style and depression, anxiety, and stress in children and adolescents (9).

Alexithymia can play the mediating role in the relation of insecure attachment style with anxiety, depression, and stress given the significance role of emotions in perceiving self and others' feelings (10) and the relationship of a child with his/her parents in forming and recognizing emotions in the early years of life (11). Multifaceted alexithymia includes difficulties identifying feelings (DIF), emotions, and bodily stimuli related to emotional arousal, describing feelings (DDF) to others, and limited visualization. Externally oriented thinking (EOT) and pragmatic, reality-oriented, or objective thinking are the other symptoms (12). Individuals with alexithymia exaggerate normal physiological arousal, misinterpret the somatic signs of emotional arousal, and express emotional helplessness through somatic complaints (13). Preece et al. (14) demonstrated that individuals with alexithymia have difficulty adopting to stressful situations, leading to high levels of psychological distress, anxiety, and stress symptoms. The researchers sought to reduce the stress load experienced by alexithymia as a defense mechanism to become a stable personality trait (14). Basharpour and Jani (15) indicated that mindfulness and alexithymia could significantly predict depression and anxiety in female victims of spousal violence (15).

Considering the high prevalence of psychological distress in students and the negative impact of depression, anxiety, and stress, it is important to research the underlying causes of psychological distress. Domestic literature indicated that the relationship of insecure attachment with psychological distress has been investigated almost directly without considering the mediating role of effective factors.

2. Objectives

The present study aimed to explain the causal model of psychological distress in university students based on insecure attachment mediated by alexithymia.

3. Methods

Structural equation modeling (SEM) was the primary analysis method in this study. The statistical population comprised all university students between 20- and 40years old studying at Islamic Azad Universities of Tehran in 2019 - 20. According to Kline (16), at least 20 samples are needed for each parameter. Given the number of parameters in this study (10 parameters), a 200-participant sample was required, and larger sample size was considered to prevent possible loss. Multi-stage cluster sampling was used to select three universities among all Islamic Azad universities in Tehran. Two faculties from each university, two classes from each faculty, and 30 students from each class were selected. The primary sample consisted of 360 participants who completed the questionnaires, among which 55 questionnaires were incomplete and excluded from the study (final sample = 305 students). Given the COVID-19 outbreak, in-person completion of the questionnaires was impossible. Therefore, an electronic questionnaire was sent to students with general explanations about research objectives and how to complete the questionnaires. The inclusion criteria were being a student at Islamic Azad Universities in Tehran, ranging in age from 20 to 40, being aware of research objectives, and signing informed consent to participate in the study. The exclusion criteria included failure to answer over 30% of questions and the use of a specific answering pattern, such as answering even questions or choosing the same option in successive questions, which were identified by reviewing all questionnaires.

3.1. Instruments

3.1.1. Depression Anxiety Stress Scale

The Depression Anxiety Stress Scale, developed by Lovibond, was designed to measure the emotional states of depression, anxiety, and stress with 42 items (14 items in each subscale). The depression subscale assesses dysphoria, low self-esteem, hopelessness, devaluation of life, selfdeprecation, lack of interest/involvement, anhedonia, and inertia. Autonomic arousal, situational anxiety, and fear are assessed in the anxiety subscale. Under the stress subscale, difficulty relaxing, nervous arousal, being easily upset/agitated, irritable/over-reactive, and restlessness are examined. Participants were asked to rate the severity (frequency) of each symptom in the last week based on a 4point scale from 0 to 3. The depression, anxiety, and stress scores range from 0 to 42 (17). Sahebi et al. (18) reported Cronbach's alpha coefficient as much as 0.81 for the scale, which is calculated as much as 0.79 in the present study.

3.1.2. Experiences in Close Relationships-Revised

The Experiences in Close Relationships-Revised (ECR-R) questionnaire was developed by Brennan et al. to measure the attachment styles of adults. This 36-item questionnaire consists of two 18-item dimensions for determining anxious attachment (i.e., the degree to which individuals are secure or insecure about the accessibility and accountability of their partner(s)) and avoidant attachment (the degree to which a person feels discomfort approaching others). The ECR-R is rated on a 7-point Likert scale from 1 to 7. A score for anxious attachment or avoidant attachment can range between 18 and 126 (19). Shokrkon et al. (20) reported Cronbach's alpha coefficient as much as 0.87 for the questionnaire, while the Cronbach's alpha coefficient of the questionnaire in the present study was 0.84.

3.1.3. Toronto Alexithymia Scale

The Toronto Alexithymia Scale (TAS-20), developed by Bagby et al. cited in Parker et al., is a 20-item inventory with three subscales, including difficulty in identifying (7 items) and communicating feelings (5 items), as well as externally-oriented thinking (8 items). The scale runs from strongly disagree =1 to strongly agree =5, on a 5-point Likert scale. The total score is obtained from the sum of three subscales for alexithymia, ranging from 20 to 100 (21). Besharat (22) reported Cronbach's alpha coefficient as much as 0.85 for the scale, the coefficient was 0.84 in the present study.

3.2. Statistical Analyses

The Data were analyzed using descriptive statistics, such as mean, standard deviation, and correlation matrix in SPSS 24 and SEM in Amos 26.

4. Results

The mean and standard deviation of participants' age were 32.19 ± 10.82 . The sample included 264 female students (86.6%) and 41 male students (13.4%), of whom 152 were married (49.8%) and 153 were single (50.2%). Table 1 presents the mean and standard deviation (SD) of the research variables.

Multivariate normality is one of the essential assumptions, which should be considered in SEM. Skewness and kurtosis are the common criteria used to assess the normality assumption. An absolute value of skewness and kurtosis coefficient less than 3 and 10, respectively, indicate the normality of variables. According to results, the assumption of normality of the data was not violated because the absolute values of skewness and kurtosis coefficients for all variables were less than 3 and 10, respectively. The Durbin-Watson (DW) statistic was used to examine the independence of errors, and the results approved the independence (Values between 1.5 and 2.5 confirmed the independence of errors).

Table 1 indicated a significant positive correlation between anxiety and insecure attachment (r = 0.52), depression and insecure attachment (r = 0.61), and stress and insecure attachment (r = 0.54). The correlation coefficient was significant for all variables.

The path analysis was used to investigate the mediating role of alexithymia in the correlation between psychological distress and insecure attachment. The researchers considered the chi-square to degrees of freedom ratio < 3, goodness of fit index (GFI), comparative fit index (CFI), and adjusted goodness of fit index (AGFI) \geq 0.90, the root mean square error of approximation (RMSEA) < 0.08, and non-normed fit index (NFI) > 0.9 as the goodness of fit for model evaluation. Based on the results in Table 2, the model had acceptable goodness of fit (χ^2 /df = 2.67, CFI = 0.96, GFI = 0.90, RMSEA = 0.03). The final model is presented in Figure 1Given the appropriate goodness of fit.

The direct and indirect path coefficients of the model are presented in Tables 3 and 4 considering the proper goodness of fit. Table 3 shows that insecure attachment directly affected anxiety ($\beta = 0.36$, P < 0.001), depression ($\beta = 0.49$, P < 0.001), and stress ($\beta = 0.40$, P < 0.001). A significant positive effect of alexithymia was also observed on anxiety ($\beta = 0.30$, P < 0.001), depression ($\beta = 0.22$, P < 0.001), and stress ($\beta = 0.28$, P < 0.001).

As shown in Table 4, insecure attachment significantly, indirectly, and positively affected anxiety, depression, and stress with the mediating role of alexithymia.

5. Discussion

The present study aimed to investigate the relationship between psychological distress and insecure attachment in university students by mediating alexithymia. The results revealed that the path coefficient of insecure attachment to anxiety, depression, and stress was significant. This finding is consistent with that of Handelzalts et al. (7) and Dagnino et al. (23).

Attachment style is significantly correlated to depression, and this type of attachment style is one of the predictors of students' depression (9, 24). People with avoidant attachment styles may experience mood swings due to unstable access to the primary caregiver. The instability that prevails in this attachment style evokes a kind of unpredictability and uncontrollability, which contributes to pessimism about the future as one of the three angles of depression. According to cognitive theory, disorders like depression are derived from spontaneous thoughts, derived

Table 1. Pearson's Correlation Coefficients for the Research Variables											
Variables	Mean \pm SD	1	2	3	4	5	6	7	8	9	10
1-Anxiety	8.77 ± 6.69	1									
2- Depression	12.1 ± 8.97	0.69 ^a	1								
3- Stress	18.49 ± 8.01	0.70 ^a	0.77 ^a	1							
4-Avoidant relationships	52.31 ± 16.46	0.29 ^a	0.33 ^a	0.25 ^a	1						
5-Anxious relationships	62.04 ± 18.21	0.54 ^a	0.62 ^a	0.60 ^a	0.29 ^a	1					
6- Insecure attachment	17.27 ± 5.4	0.52 ^a	0.61 ^a	0.54 ^a	0.78 ^a	0.82 ^a	1				
7- Objective thinking	18.78 ± 5.03	0.20 ^a	0.15 ^b	0.12 ^b	0.26 ^a	0.16 ^b	0.26 ^a	1			
8- Difficulty in describing emotions	11.46 ± 3.39	0.39 ^a	0.42 ^a	0.43 ^a	0.42 ^a	0.31 ^a	0.46	0.28 ^a	1		
9- Difficulty in identifying emotions	12.29 ± 5.03	0.52 ^a	0.49 ^a	0.53 ^a	0.29 ^a	0.48 ^a	0.48 ^a	0.30 ^a	0.64 ^a	1	
10-Alexithymia	45.72 ± 9.6	0.49 ^a	0.47 ^a	0.49 ^a	0.41 ^a	0.43 ^a	0.52 ^a	0.62 ^a	0.82 ^a	0.52 ^a	1

 ${}^{a}P < 0.01$

 ${}^{b}P < 0.05$

AGH	CFI	NFI	RMSEA
0.97	0.96	0.96	0.03
(0.97	0.97 0.96	0.97 0.96 0.96



Figure 1. Proposed model for examining the mediating role of alexithymia between psychological distress and insecure attachment among university students

from mother-child schemas. Consequently, these breakdowns lead to the creation of schemas that will cause psychological disorders such as depression because of the destabilization of these relationships (25). In addition, insecure primary relationship in individuals is provokes a distancing pattern from problems, feelings, and people to avoid the recurrence of negative feelings because of predicting such feelings in relationships

Table 3. Direct Effects of Research Variables in the Proposed Model				
Direct Path	b	β	SE	Р
Insecure attachment to anxiety	0.08	0.36	0.013	0.001
Insecure attachment to depression	0.16	0.49	0.017	0.001
Insecure attachment to stress	0.11	0.40	0.016	0.001
Alexithymia to anxiety	0.21	0.30	0.038	0.001
Alexithymia to depression	0.21	0.22	0.049	0.001
Alexithymia to stress	0.23	0.28	0.046	0.001
Table 4. Analysis of Indirect and Intermediary Paths in the Proposed Model				
Indirect Path Mediated by Alexithymia	b	β	SE	Р
Insecure attachment to anxiety	0.03	0.15	0.045	0.001
Insecure attachment to depression	0.03	0.11	0.036	0.001
Insecure attachment to stress	0.04	0.15	0.059	0.001

based on their previous experiences. Avoidance resulting from insecure and avoidant attachment can prevent individuals from reacting reasonably to some life stresses due to the lack of trust. In other words, they attempt to solve their problems by avoiding others instead of seeking their help. As a result, the development of appropriate social and communication skills and problem-solving strategies is hindered, which indicates their vulnerability to anxiety (9).

Attachment (emotional connection) to a particular person is a prerequisite for healthy human development. Experiencing secure attachment in childhood will be the foundation for healthy mental functioning and performance in adulthood. On the other hand, insecure attachment causes distrust, dissatisfaction, problems empathizing with others, and emotional expressiveness. Therefore, attachment style explains various dynamics of adulthood, one of which is the amount of stress experienced in individuals' activities and life. In other words, attachment in stressful situations, such as sickness, tiredness, or scaredness, provokes worries, anxiety, and psychological stress in its most potent form. Individuals with an insecure attachment style feel these troubles more deeply than those with a secure attachment style because they communicate their problem with others and gain their support. Thus, they experience more stress than those with a secure attachment style (9).

The results indicated an indirect path coefficient between insecure attachment and anxiety, stress, and depression. This finding is consistent with that of Boisjoli et al. (26) and Taylor (27).

Individuals follow various coping strategies when facing stressful events or negative moods according to the activity of their attachment system. The insecure attachment of individuals might make them less able to deal with stressful situations, because they have a negative expectation of their ability to control their environment. The insecure attachment is partly a result of expectations about the reliability and trustworthiness of others. Therefore, individuals with insecure attachment styles are not able to use adequate personal and interpersonal resources to regulate their emotions in stressful and threatening situations (24).

Those with a negative model toward others (active avoidant attachment) tend to have rumination, which eases the symptoms of depression. The prevalence and symptoms of depression increase by avoiding attachment accompanying alexithymia, given its impact on individuals with alexithymia with difficulty distinguishing, describing, and regulating emotions and failing to recognize their negative emotions, underlying symptoms such as depression (23).

In addition, individuals with an avoidant attachment style in childhood experience rejection through face attachment, so they deny attachment to protect themselves from further rejection. On the other hand, avoidant individuals are pessimistic and excessively self-reliant. Therefore, they become deprived of emotional-social relationships and support when facing some stress in life and fail to use positive methods and constructive strategies. Additionally, a lack of trust in others and disordered exploratory behavior significantly reduces active and normal proximity seeking in avoidant individuals. The lack of social and communication skills, as well as the ineffective problem-solving strategies, explains their greater vulnerability to anxiety symptoms. Due to the diminished ability to manage and regulate emotions following alexithymia, individuals are less likely to be able to accept emotions and lose their ability to use appropriate coping, prohibition, and repression strategies, all of which contribute to anxiety and stress (5).

One of the limitations of our study was that the statistical population was limited to Islamic Azad Universities in Tehran. Therefore, caution should be exercised when interpreting and generalizing the results. The second limitation was the cross-sectional method of the study, which investigated participants in a specific period, which limited general conclusions.

5.1. Conclusions

According to the results of this study, insecure attachment could predict depression, anxiety, and stress in students with the mediating role of alexithymia. Therefore, students with insecure attachments and alexithymia were more likely to suffer from depression, stress, and anxiety. Attachment styles are rooted in primary family relations, which significantly affect future relations of individuals and their disorders such as depression, stress, and anxiety, counselors. Therefore, therapists are suggested to provide preventive education programs to make parents aware of this important variable.

Footnotes

Authors' Contribution: MM: Data curation, formal analysis, software, writing - original draft, writing review & editing; HS: Supervision, investigation, methodology, project administration, data curation; SB: Formal analysis, methodology, data curation.

Conflict of Interests: This study was non-financial support from Islamic Azad Universities. The funding organizations have no role in the design of the study, collection, analysis, and interpretation of data, and writing the manuscript was the role of authors.

Data Reproducibility: The datasets generated during and/or analyzed during the current study are available from the corresponding author on reasonable request.

Ethical Approval: The study was approved by the Ethical Committee of Islamic Azad University- Roudehen Branch (code: IR.IAU.R.REC.1400.013). Link: ethics.research.ac.ir/EthicsProposalView.php?id=238113

Funding/Support: Self-funding.

Informed Consent: Written informed consent obtained from the participants in this study.

References

1. Maharaj S, Lees T, Lal S. Prevalence and Risk Factors of Depression, Anxiety, and Stress in a Cohort of Australian Nurses. *Int J Environ Res Public* Health. 2018;**16**(1). doi: 10.3390/ijerph16010061. [PubMed: 30591627]. [PubMed Central: PMC6339147].

- Forbes MK, Sunderland M, Rapee RM, Batterham PJ, Calear AL, Carragher N, et al. A detailed hierarchical model of psychopathology: From individual symptoms up to the general factor of psychopathology. *Clin Psychol Sci.* 2021;9(2):139–68. doi: 10.1177/2167702620954799. [PubMed: 33758691]. [PubMed Central: PMC7983870].
- Bonacquisti A, Geller PA, Patterson CA. Maternal depression, anxiety, stress, and maternal-infant attachment in the neonatal intensive care unit. J Reprod Infant Psychol. 2020;38(3):297–310. doi: 10.1080/02646838.2019.1695041. [PubMed: 31795733].
- Gao W, Ping S, Liu X. Gender differences in depression, anxiety, and stress among college students: A longitudinal study from China. *J Affect Disord*. 2020;**263**:292–300. doi: 10.1016/j.jad.2019.11.121. [PubMed: 31818792].
- Ayhan F, Teze S, Türkmen AS. The Relationship between the Presence of Depression and Attachment Styles of Mothers with Autistic Children. *Am J Fam Ther.* 2021;**50**(2):131–43. doi: 10.1080/01926187.2021.1872044.
- Bachem R, Levin Y, Solomon Z. Trajectories of attachment in older age: interpersonal trauma and its consequences. *Attach Hum Dev.* 2019;**21**(4):352-71. doi: 10.1080/14616734.2018.1479871. [PubMed: 29865920].
- Handelzalts JE, Levy S, Molmen-Lichter M, Ayers S, Krissi H, Wiznitzer A, et al. The association of attachment style, postpartum PTSD and depression with bonding- A longitudinal path analysis model, from childbirth to six months. J Affect Disord. 2021;280(Pt A):17–25. doi: 10.1016/j.jad.2020.10.068. [PubMed: 33202334].
- Johnson SM. Attachment Theory. Encyclopedia of Couple and Family Therapy. Springer, Cham; 2019. p. 169–77.
- Spruit A, Goos L, Weenink N, Rodenburg R, Niemeyer H, Stams GJ, et al. The Relation Between Attachment and Depression in Children and Adolescents: A Multilevel Meta-Analysis. *Clin Child Fam Psychol Rev.* 2020;23(1):54–69. doi: 10.1007/s10567-019-00299-9. [PubMed: 31392452]. [PubMed Central: PMC7000490].
- Fietz J, Valencia N, Silani G. Alexithymia and autistic traits as possible predictors for traits related to depression, anxiety, and stress: A multivariate statistical approach. J Eval Clin Pract. 2018;24(4):901–8. doi: 10.1111/jep.12961. [PubMed: 29882629].
- Besharat MA, Ofoghi Z, Aghaei Sabet SS, Habibnezhad M, Pournaghdali A, Geranmayepour S. [Moderating effect of cognitive emotion regulation strategies on the relationship between alexithymia and interpersonal problems]. *Adv Cogn Psychol.* 2014;15(4[60]):43–52. Persian.
- Brewer R, Cook R, Bird G. Alexithymia: a general deficit of interoception. *R Soc Open Sci.* 2016;3(10):150664. doi: 10.1098/rsos.150664. [PubMed: 27853532]. [PubMed Central: PMC5098957].
- Di Tella M, Castelli L. Alexithymia in Chronic Pain Disorders. *Curr Rheumatol Rep.* 2016;**18**(7):41. doi:10.1007/s11926-016-0592-x. [PubMed: 27215759].
- Preece DA, Becerra R, Boyes ME, Northcott C, McGillivray L, Hasking PA. Do self-report measures of alexithymia measure alexithymia or general psychological distress? A factor analytic examination across five samples. *Pers Individ Differ*. 2020;**155**. doi: 10.1016/j.paid.2019.109721.
- Basharpoor S, Jani S. [The role of mindfulness and alexithymia in reducing depression and anxiety in women victims of spouse violence]. Shenakht J Psychol Psychiatry. 2020;6(6):55–65. Persian. doi: 10.29252/shenakht.6.6.55.
- 16. Kline RB. Principles and practice of structural equation modeling. 4. New York, NY: Guilford Publications; 2016.
- Lovibond PF. Long-term stability of depression, anxiety, and stress syndromes. J Abnorm Psychol. 1998;107(3):520–6. doi: 10.1037//0021-843x.107.3.520. [PubMed: 9715586].

- Sahebi A, Asghari MJ, Salari RS. [Validation of Depression Anxiety and Stress Scale (DASS-21) for an Iranian Population]. *Dev Psychol.* 2005;1(4):36–54. Persian.
- Brennan KA, Clark CL, Shaver PR. Self-report measurement of adult attachment: An integrative overview. In: Simpson JA, Rholes WS, editors. *Attachment theory and close relationships*. The Guilford Press; 1998. 46–76 p.
- 20. Shokrkon H, Khojastehmehr R, Atari YA, Haghighi J, Shehni YM. [A study of personality traits, social skills, attachment styles and demographic characteristics as predictors of success or failure of marital relationship in intact and divorce-seeking couples of Ahvaz]. J Educ Psychol. 2006;3(1):1–30. Persian.
- Parker JD, Taylor GJ, Bagby R. The 20-Item Toronto Alexithymia Scale. JPsychosom Res. 2003;55(3):269–75. doi: 10.1016/s0022-3999(02)00578-0.
- Besharat MA. Assessing reliability and validity of the Farsi version of the Toronto Alexithymia Scale in a sample of substance-using patients. *Psychol Rep.* 2008;**102**(1):259–70. doi: 10.2466/pr0.102.1.259-270. [PubMed: 18481685].
- 23. Dagnino P, Perez C, Gomez A, Gloger S, Krause M. Depression and Attachment: How do Personality Styles and Social Sup-

port Influence This Relation? *Res Psychother*. 2017;**20**(1):237. doi: 10.4081/ripppo.2017.237. [PubMed: 32913733]. [PubMed Central: PMC7451375].

- Heinze JE, Cook SH, Wood EP, Dumadag AC, Zimmerman MA. Friendship Attachment Style Moderates the Effect of Adolescent Exposure to Violence on Emerging Adult Depression and Anxiety Trajectories. J Youth Adolesc. 2018;47(1):177–93. doi: 10.1007/s10964-017-0729-x. [PubMed: 28815358]. [PubMed Central: PMC5750100].
- Kim DH, Kang NR, Kwack YS. Differences in Parenting Stress, Parenting Attitudes, and Parents' Mental Health According to Parental Adult Attachment Style. Soa Chongsonyon Chongsin Uihak. 2019;30(1):17-25. doi: 10.5765/jkacap.180014. [PubMed: 32595316]. [PubMed Central: PMC7289495].
- Boisjoli C, Hebert M, Gauthier-Duchesne A, Caron PO. A mediational model linking perceptions of security, alexithymia and behavior problems of sexually abused children. *Child Abuse Negl.* 2019;92:66– 76. doi: 10.1016/j.chiabu.2019.03.017. [PubMed: 30933832].
- Taylor SE. Mechanisms linking early life stress to adult health outcomes. *Proc Natl Acad Sci U S A*. 2010;**107**(19):8507-12. doi: 10.1073/pnas.1003890107. [PubMed: 20442329]. [PubMed Central: PMC2889360].