



# Exploring Skin Conditions: Medical and Herbal Approaches to Treatment

Monika Nijhawan <sup>1,\*</sup>, Bhavana Jidige <sup>1</sup>, Sneha Nawale <sup>1</sup>, Rajeswari Aleti <sup>1</sup>, Dedipya Goda Srivalli Vangala <sup>1</sup>, Lakshmi Sowmya Talluri <sup>1</sup>

<sup>1</sup>Department of Pharmaceutics, Gokaraju Rangaraju College of Pharmacy, Telangana 500090, India

\*Corresponding Author: Department of Pharmaceutics, Gokaraju Rangaraju College of Pharmacy, Telangana 500090, India. Email: priyashanijhawan@gmail.com

Received: 14 September, 2024; Revised: 13 December, 2024; Accepted: 15 December, 2024

## Abstract

**Context:** Skin diseases encompass a broad spectrum, ranging from common issues such as acne and dermatitis to more serious conditions like psoriasis, melanoma, and autoimmune disorders. These ailments can significantly affect both physical health and psychological well-being, often necessitating intricate and long-term management.

**Evidence Acquisition:** Skin diseases arise due to a variety of factors, including genetic, environmental, and immunological influences, which can manifest as inflammation, infection, or abnormal cell growth. This review provides an in-depth examination of common skin diseases, their underlying causes, and current treatment approaches. Despite advancements in treatment, achieving long-term remission and managing side effects remain challenging, thereby highlighting the potential role of supportive herbal remedies, traditionally used for treating skin conditions.

**Results:** Herbs such as *Aloe vera*, turmeric, neem, and chamomile are recognized for their anti-inflammatory, antimicrobial, and antioxidant properties, showing promise in the treatment of various skin disorders.

**Conclusions:** This review explores the potential of these herbs, including their active compounds, and illustrates how herbal remedies might complement existing treatments, enhancing their effectiveness while minimizing side effects.

Keywords: Acne, Skin Cancer, Herbs, Eczema

## 1. Context

Skin problems, though not life-threatening, can significantly impact healthcare systems and quality of life. Genetics and socioeconomic factors influence their prevalence and severity. Challenges include high treatment failure rates and the contagious nature of certain conditions. Common skin issues include acne, wrinkles, skin cancer, heat rashes, and hypopigmentation (1). This review elaborates on various dermatological disorders and their respective remedies.

## 2. Evidence Acquisition

Acne, a common skin disorder, affects 85% of adults, particularly adolescents, and is influenced by factors such as genetics, stress, androgens, and excessive sweating. Increased sebum production due to

androgenic stimulation during adrenarche leads to sebaceous gland enlargement, contributing to acne severity (2, 3). *Cutibacterium acnes* (formerly *P. acnes*) colonizes sebaceous follicles, breaking down sebum and triggering inflammation. This process promotes the formation of comedones and skin irritation. Inflammatory mediators, such as cytokines regulated by NF- $\kappa$ B, and lipid mediators like COX-2, exacerbate acne by stimulating keratinocyte proliferation and attracting inflammatory cells to the skin (4, 5).

### 2.1. Clinical Classification of Acne

Grade I acne includes whiteheads, blackheads, and a few papules and pustules, while grade II features numerous papules and pustules. Grade III, or nodulocystic acne, involves inflamed nodules, and grade IV is characterized by painful, inflamed pustules.

Different lines of treatment for acne are depicted in [Table 1](#).

## 2.2. Pigmentation

Pigmentation is regulated by melanin produced by melanocytes, with tyrosinase catalyzing its formation and influencing skin color through eumelanin or pheomelanin. Genes such as MC1R regulate the amount and type of melanin produced, thereby affecting skin color and pigmentation ([6](#), [7](#)). Hyperpigmentation results from excess melanin, while depigmentation is caused by melanin loss, often triggered by UV radiation ([8](#)). Pigmentation disorders include depigmentation (e.g., vitiligo), hypopigmentation, and hyperpigmentation ([9](#)), as illustrated in [Figure 1](#).

Vitiligo has two main forms: Non-segmental, which affects both sides of the body, and segmental, which affects one side and stabilizes over time. Treatment options for vitiligo include phototherapy and topical creams designed to stimulate pigment production ([10](#)-[13](#)).

Topical treatments for pigmentation include:

- Topical steroids: Etnovate, Diprolene-cream, lotion.
- Topical anti-infectives: Silvasorb, Solox-cream, gel.
- Topical steroids with anti-infectives: Yaliika Pak, Triheal-80 -cream.
- Topical depigmenting agents: Tri Derma, Tri Luma-cream ([14](#)).

Herbal treatments for pigmentation focus on inhibiting tyrosinase, the enzyme responsible for melanin production ([15](#)). Key herbs such as turmeric, liquorice, *Aloe vera*, and mulberry extract reduce melanin synthesis and lighten dark spots, while vitamin C from Amla protects against UV-induced pigmentation. These herbs provide anti-inflammatory and antioxidant benefits in addition to their skin-lightening effects ([16](#)-[19](#)).

## 2.3. Wrinkles

Wrinkles are categorized into fine and coarse types. These are primarily caused by aging, reduced skin elasticity, and UV damage, which breaks down collagen and elastin. Repeated facial expressions and genetics also contribute to their development ([20](#), [21](#)). Wrinkles

appear as horizontal lines, crow's feet, and laugh lines, with dynamic wrinkles forming due to facial movements and static wrinkles resulting from a loss of elasticity. Treatment options for wrinkle reduction and skin rejuvenation include retinoid creams, microdermabrasion, chemical peels, Botox® injections, hyaluronic acid fillers, and facelift surgery ([22](#)).

Herbal treatments for wrinkles focus on boosting collagen production and skin elasticity while providing antioxidant protection. *Aloe vera* enhances hydration and collagen synthesis, while green tea protects against oxidative damage and supports collagen formation ([23](#), [24](#)). Rosehip oil regenerates collagen, ginseng improves skin elasticity, and turmeric prevents collagen breakdown through its anti-inflammatory effects. Together, these herbs reduce fine lines and improve skin texture ([25](#)-[27](#)).

## 2.4. Prickly Heat


Prickly heat (miliaria) is primarily caused by sweating, exacerbated by heat, humidity, physical activity, and certain medications such as neostigmine and bethanechol, as well as conditions like Morvan syndrome and pseudohypoaldosteronism ([28](#)-[32](#)). Symptoms include small bumps, itching, prickling sensations, and discomfort, often occurring in skin folds or areas where the skin rubs against clothing. It is intensified by elevated body temperatures and environmental factors ([33](#)) ([Table 2](#)).

Prickly heat can be prevented by limiting heat exposure, regular gentle exfoliation, and taking cool showers to avoid sweat gland blockages. Patting the skin dry gently helps reduce irritation and the risk of rashes ([34](#)).

Herbal treatments for prickly heat focus on soothing inflammation, reducing sweating, and providing antimicrobial benefits. *Aloe vera* offers cooling and anti-inflammatory effects, while neem helps prevent infection with its antibacterial properties ([35](#), [36](#)). Chamomile reduces irritation and calms the skin, and Tulsi (Holy Basil) cools and heals the skin with its antioxidants. Together, these herbs help alleviate symptoms, prevent infection, and promote skin healing. These natural remedies are effective for managing prickly heat ([37](#), [38](#)).

**Table 1.** Line of Treatment for Acne

Types of Acne	Primary Therapy	Secondary Therapy	Tertiary Therapy	Hormonal Based Solution for Women
Comedonal acne	Topical retinoids, adapalene, isotretinoin	Azelaic acid	-	-
Mild to moderate papulo pustular acne	Benzoyl peroxide + adapalene	Azelaic acid + adapalene	Tretinoin + topical erythromycin + azelaic acid + benzoyl peroxide + systemic antibiotics	-
Severe papulo pustular acne, mild nodular acne	Systemic isotretinoin	Systemic antibiotics + benzoyl peroxide + adapalene + azelaic acid	-	Hormonal anti androgens + topical treatment
Severe nodular, conglobate acne	Systemic isotretinoin	Systemic antibiotics + azelaic acid	Systemic antibiotics + benzoyl peroxide	Hormonal antiandrogens + systemic antibiotics

**Figure 1.** Types of pigmentation

## 2.5. Skin Cancer

Skin cancer is one of the most common and rapidly increasing cancers, often occurring on sun-exposed areas, leading to significant health and healthcare costs. Treatment options include surgery, cryotherapy, chemotherapy, immunotherapy, and radiation, with prevention focusing on sun safety measures such as the use of sunscreen (39).

### 2.5.1. Etiology

The risk of developing basal cell carcinoma (BCC) and squamous cell carcinoma (SCC) is strongly linked to

cumulative UV exposure over a lifetime. Melanoma, the most lethal form of skin cancer, originates from mutated melanocytes. Unlike BCC and SCC, the risk of melanoma is more closely associated with sun exposure during adolescence. Risk factors for skin cancer also include a family history of the disease, chemical exposure, tanning bed usage, HPV infection, Fitzpatrick skin type, the presence of melanocytic nevi, and immunosuppression.

### 2.5.2. Types of Skin Cancer

#### 2.5.2.1. Basal Cell Carcinoma

**Table 2.** Types of Miliaria

Types	Size	Causes
Miliaria crystalline	Appears as small bumps. Bumps with size 1-2 mm	No itching and pain, seen only in babies and adults
Miliaria profunda	Occurs in deeper layers of skin	Causes relatively large, tough, flesh-coloured bumps
Miliaria rubra	Occurs in deeper layers of skin and more uneasy	Causes larger bumps, inflammation, and a lack of sweat in the affected area

**Figure 2.** Types of skin cancer

It originates in the upper layer and basal cells of the epidermis (40).

#### 2.5.2.2. Squamous Cell Carcinoma

It develops in the squamous cells of the outer skin layer (41).

#### 2.5.2.3. Melanoma

Melanoma, which develops from melanocytes, is the most aggressive form of skin cancer due to its potential to metastasize to other organs. Other rarer skin cancers include Kaposi Sarcoma, Merkel Cell Carcinoma, Sebaceous Gland Carcinoma, and Dermatofibrosarcoma Protuberans (42). Different types of skin cancers are represented in Figure 2.

#### 2.5.3. Stages of Skin Cancer

Melanoma is staged from 0 to IV: Stage 0 (melanoma in situ) is confined to the epidermis; stage I is a low-risk melanoma treatable by surgery; stage II has a higher risk of recurrence but no metastasis; stage III involves spread

to nearby lymph nodes; and stage IV indicates distant spread to lymph nodes and organs. Non-melanoma skin cancers, such as BCC and SCC, are staged based on tumor thickness, size, extent, and lymph node involvement, with stages ranging from 0 (in situ) to IV (invasive). Accurate staging is crucial for determining treatment and prognosis (43).

#### 2.5.4. Prevention

Protecting the skin from UV rays through the use of shade, protective clothing, and broad-spectrum sunscreen helps prevent skin cancer. A plant-based diet rich in omega-3s, vitamins C and D, and antioxidants such as beta-carotene and lutein further supports prevention (44).

#### 2.5.5. Treatment Options for Skin Cancer

Cryotherapy uses liquid nitrogen to freeze and remove cancer cells, while excisional surgery and Mohs micrographic surgery remove or target cancerous cells while preserving healthy tissue. Curettage and electrodesiccation are commonly used for BCC and SCC,

**Table 3.** List of Herbs with Cosmetic Application for Skin Care

Drug	Botanical Name/family	Active Constituent	Use	Reference
1. Aroroba (Goa powder, Bahia powder)	<i>Andira aroroba</i> , Fabaceae	Chrysarobin, dithranol and chrysophanic acid	Ringworm, psoriasis, and eczema	(52, 53)
2. Thorny Pigweed	<i>Amaranthus spinosus</i> , Amaranthaceae	Rutin, phenolic acid, ferulic acid, and linoleic acid	Eczema, sunburn, psoriasis	(54)
3. Sarsaparilla	<i>Smilax ornata</i> , <i>S. regeli</i> , Smilacaceae	Sarsaponin, phytosterols, and flavonoids	Psoriasis, anti-inflammatory, acne, sun burns, anti-fungal	(55)
4. Papaya	<i>Carica papaya</i> , Caricaceae	Papain, chymopapain, cystatin, α-tocopherol	Used in Face creams, cleansers, and psoriasis, wrinkle reduction	(56)
5. Turmeric	<i>Curcuma longa</i> , Zingiberaceae	Curcuminoids, curcumin, des bis-methoxycurcuminoids	Anti-parasitic, dermatitis, psoriasis, Antimicrobial, fungicidal	(57)
6. Gotu Kola (Brahmi)	<i>Centella asiatica</i> , <i>Hydrocotyle asiatica</i> , Apiaceae	D-limonene, α-terpineol, β-caryophyllene, α-pinene, eugenol	Anti-oxidant, anti-acne, antibacterial, anti-inflammatory and used in treatment of eczema and psoriasis	(58)
7. Holy basil	<i>Ocimum sanctum</i> , Lamiaceae	β-caryophyllene, eugenol, vanillin, rosmarinic acid, ursolic acid, gallic acid and vanillic acid	Anti-inflammatory, antimicrobial activity	(59)
8. Red Sandalwood	<i>Pterocarpus santalinus</i> , Fabaceae	Santalol, santalol, santarubin, flavonoids, pterostilbenes, and lignans (savinin, calcoedrin),	Post-acne and facial scars, cooling effect, improves complexion, reduce cutaneous inflammation and skin blemishes	(60)
9. Garlic	<i>Allium sativum</i> , Liliaceae	Alliin, allixin, ajoenes and quercetin	Antifungal, anticarcinogenic, antioxidant, anti-inflammatory and promotes skin healing	(61)
10. Pomegranate	<i>Punica granatum</i> , Punicaceae	Punicalagins and ellagitannin	Astringent with cooling properties	(62)
11. Coriander	<i>Coriandrum sativum</i> , Apiaceae	Linalool, α-pinene, camphor, citronellal, geraniol, anethole	Antimicrobial, antioxidant, anti-inflammatory, anti-cancer and cooling effect	(63)
12. Honey	<i>Apis mellifera</i> , Apidae	Enzymes, hydroxycinnamic acid, flavonoids, and organic acids, melittin	Astringent, antioxidant, bacteriostatic, anti-inflammatory and antimicrobial properties, used in wound healing and sunburns	(64)
13. Sweet flag	<i>Acorus calamus</i> , Acoraceae	α, β, cis-asarone	Antibacterial, anti-fungal, anti-inflammatory, used in dusting powders, and skin lotions	(65)
14. Camel thorn bush	<i>Alhagi maurorum</i> , Fabaceae	Flavonoids, fatty acids, coumarins, glycosides, steroids, vitamins, alkaloids, tannins, and triterpenes	Skin wounds, skin irritations, dermatitis and allergic reactions	(66)
15. Aloe vera	<i>Aloe barbadensis</i> Miller, Liliaceae	Aloe-emodin, aloin, aloesin, emodin, vitamins A, C, and E and acemannan	Emollient, anti-inflammatory, antimicrobial, wound healing properties used in preparation of moisturizers and sunscreens,	(49)
16. Galanga	<i>Alpinia galanga</i> , Zingiberaceae	Galangin, kaempferide, alpinin, zerumbone galangal acetate, and 1,8-cineole	Anti-inflammatory, used in dusting powders	(67)
17. Oat	<i>Avena sativa</i> , Poaceae	Avenanthramide, ferulic acid, gentisic acid, vanillic acid, syringic acid	Anti-inflammatory, anti-oxidant and used in preparation of moisturizers, Skin tonics	(68)
18. Neem	<i>Azadirachta indica</i> , Meliaceae	Azadirachtin, nimbolide, and gedunin, nimbidin, nimbin, querctein, salannin, limonoids	Anti-oxidant, anti-inflammatory, antiseptic, antibacterial and reduce dark spots	(69)
19. Marigold	<i>Calendula officinalis</i> , Asteraceae	Lutein, zeaxanthine, esculetin, rutin, limonene, calendic acid	Anti-fungal, anti-inflammatory, antiseptic and wounds healing	(70)
20. Ginseng	<i>Panax ginseng</i> , Araliaceae	Ginsenosides or panaxosides, peptides, polyacetylenic alcohols	Anti-aging, anti-inflammatory and wound healing	(71, 72)

scraping away cancer cells and destroying remnants with electric needles. Chemotherapy, immunotherapy, radiotherapy, and photodynamic therapy provide additional treatment options, targeting cancer cells through medications, radiation, or light-sensitive compounds (45).

### 3. Results

Current skincare trends are shifting towards natural, eco-conscious products featuring ingredients such as *Aloe vera*, turmeric, and tea tree oil for their anti-

inflammatory and antibacterial benefits (46-50). There is also a growing interest in functional skincare that supports the skin's microbiome and incorporates adaptogens like ashwagandha to address stress-related skin issues. The emphasis on sustainability, "skinimalism," and traditional remedies like bakuchiol is driving the popularity of clean, effective skincare.

#### 3.1. Herbal Remedies for Skin Care

Herbal therapy is gaining popularity due to its perceived lower side effects and holistic approach to

treating skin conditions such as rashes and skin cancers. Herbs like chamomile and turmeric support long-term health, while allopathic treatments provide quick relief but may cause side effects, such as skin thinning. Herbal remedies are generally safer for long-term use, though they may cause allergies in some cases. In contrast, allopathic treatments often require monitoring due to potential side effects (51). **Table 3** lists some commonly used herbs and their skincare benefits, while **Figure 3** illustrates herbal marketed preparations.

Recent dermatology research focuses on herbal nanoformulations to improve the delivery and efficacy of bioactive compounds for skin treatments. For example, turmeric's curcumin is encapsulated in nanoparticles to enhance its bioavailability and effectiveness in treating conditions such as acne, psoriasis, and eczema (73). Green tea extract, incorporated into lipid-based nanocarriers, has demonstrated enhanced antioxidant and UV-protective properties, aiding in the prevention of photoaging and skin cancer (74). Additionally, *Aloe vera* has been formulated into nanoemulsions, improving its wound-healing and hydrating properties, thereby providing faster relief for burns and other skin irritations (75). The use of nanoformulations in dermatology enables targeted therapy, reduced side effects, and enhanced stability of herbal compounds, positioning them as a promising area of research for the future of skincare treatments.

#### 4. Conclusions

Skin diseases are often complex and require long-term management. While conventional treatments are effective, herbal medicines offer a complementary option with fewer side effects. Herbs with anti-inflammatory and antimicrobial properties can enhance skincare, particularly when combined with standard therapies. Ongoing research is essential to ensure the safe and effective use of these natural remedies, paving the way for more holistic and personalized skincare solutions. Herbal remedies provide a promising addition to conventional treatments, offering natural, gentle alternatives with potential benefits such as fewer side effects. As research advances, incorporating herbs into skincare routines

could improve treatment outcomes and support overall skin health.

#### Footnotes

**Authors' Contribution:** Concept: M. N. and S. N.; Design: J. B., D. V., and L. S.; Supervision: M. N.; Data collection and/or processing: R. A., J. B., and M. N.; Literature search: J. B., D.V., and L.S.; Writing: M. N. and J. B.; Critical reviews: S. N. and R. A.

**Conflict of Interests Statement:** The authors declared no conflict of interests.

**Data Availability:** The dataset presented in the study is available on request from the corresponding author during submission or after publication.

**Funding/Support:** The authors declared there is no funding support.

#### References

- Nowicka D, Baglaj-Oleszczuk M, Maj J. Infectious diseases of the skin in contact sports. *Adv Clin Exp Med.* 2020;29(12):1491-5. [PubMed ID: 33389840]. <https://doi.org/10.17219/acem/129022>.
- Ayer J, Burrows N. Acne: more than skin deep. *Postgrad Med J.* 2006;82(970):500-6. [PubMed ID: 16891439]. [PubMed Central ID: PMC2585707]. <https://doi.org/10.1136/pgmj.2006.045377>.
- Kubba R, Bajaj AK, Thappa DM, Sharma R, Vedamurthy M, Dhar S, et al. Acne in India: guidelines for management - IAA consensus document. *Indian J Dermatol Venereol Leprol.* 2009;75 Suppl 1:1-62. [PubMed ID: 19282578].
- Tan AU, Schlosser BJ, Paller AS. A review of diagnosis and treatment of acne in adult female patients. *Int J Womens Dermatol.* 2018;4(2):56-71. [PubMed ID: 29872679]. [PubMed Central ID: PMC5986265]. <https://doi.org/10.1016/j.ijwd.2017.10.006>.
- Bhat YJ, Latief I, Hassan I. Update on etiopathogenesis and treatment of Acne. *Indian J Dermatol Venereol Leprol.* 2017;83(3):298-306. [PubMed ID: 28195079]. <https://doi.org/10.4103/0378-6323.199581>.
- Varghese PK, Abu-Asab M, Dimitriadis EK, Dolinska MB, Morcos GP, Sergeev YV. Tyrosinase Nanoparticles: Understanding the Melanogenesis Pathway by Isolating the Products of Tyrosinase Enzymatic Reaction. *Int J Mol Sci.* 2021;22(2). [PubMed ID: 33450959]. [PubMed Central ID: PMC7828394]. <https://doi.org/10.3390/ijms22020734>.
- Nasti TH, Timares L. MC1R, eumelanin and pheomelanin: their role in determining the susceptibility to skin cancer. *Photochem Photobiol.* 2015;91(1):188-200. [PubMed ID: 25155575]. [PubMed Central ID: PMC4299862]. <https://doi.org/10.1111/php.12335>.
- Rao YM. Cosmeceuticals. Sultan Bazar-Koti, Hyderabad: Bsp Books Pvt; 2014.

9. Poetzscher IK, Klebanov N, Das S. Widespread skin-thickening and hyperpigmentation. *Cleve Clin J Med.* 2022;**89**(9):485-7. [PubMed ID: 37907438]. <https://doi.org/10.3949/ccjm.89a.21099>.
10. Nagarajan A, Masthan MK, Sankar LS, Narayanasamy AB, Elumalai R. Oral manifestations of vitiligo. *Indian J Dermatol.* 2015;**60**(1):103. [PubMed ID: 25657420]. [PubMed Central ID: PMC4318026]. <https://doi.org/10.4103/0019-5154.147844>.
11. Lee H, Lee MH, Lee DY, Kang HY, Kim KH, Choi GS, et al. Prevalence of vitiligo and associated comorbidities in Korea. *Yonsei Med J.* 2015;**56**(3):719-25. [PubMed ID: 25837178]. [PubMed Central ID: PMC4397442]. <https://doi.org/10.3349/ymj.2015.56.3.719>.
12. de Jong MA, Adelman C, Gross M. Hearing loss in vitiligo: current concepts and review. *Eur Arch Otorhinolaryngol.* 2017;**274**(6):2367-72. [PubMed ID: 28197707]. <https://doi.org/10.1007/s00405-017-4452-8>.
13. van Geel N, Goh BK, Wallaeys E, De Keyser S, Lambert J. A Review of Non-cultured Epidermal Cellular Grafting in Vitiligo. *J Cutan Aesthet Surg.* 2011;**4**(1):17-22. [PubMed ID: 21572676]. [PubMed Central ID: PMC3081478]. <https://doi.org/10.4103/0974-2077.79181>.
14. Thawabteh AM, Jibrein A, Karaman D, Thawabteh A, Karaman R. Skin Pigmentation Types, Causes and Treatment-A Review. *Molecul J.* 2023;**28**(12). [PubMed ID: 37375394]. [PubMed Central ID: PMC10304091]. <https://doi.org/10.3390/molecules28124839>.
15. Hamed S, Afifi F, Mansi I, Bustanji Y, Alkhatib H. Screening of commonly used plant extracts in Jordanian skin lightening folkloric recipes for their tyrosinase inhibitory activity: An in vitro study. *Jordan J Pharmaceutic Sci.* 2021;**14**:113-25.
16. Yokota T, Nishio H, Kubota Y, Mizoguchi M. The inhibitory effect of glabridin from licorice extracts on melanogenesis and inflammation. *Pigment Cell Res.* 1998;**11**(6):555-61. [PubMed ID: 9870547]. <https://doi.org/10.1111/j.1600-0749.1998.tb00494.x>.
17. Choi S, Lee SK, Kim JE, Chung MH, Park YI. Aloesin inhibits hyperpigmentation induced by UV radiation. *Clin Exp Dermatol.* 2002;**27**(6):513-5. [PubMed ID: 12372097]. <https://doi.org/10.1046/j.1365-2230.2002.01120.x>.
18. Zheng Y, Lee EH, Lee SY, Lee Y, Shin KO, Park K, et al. Morus alba L. root decreases melanin synthesis via sphingosine-1-phosphate signaling in B16F10 cells. *J Ethnopharmacol.* 2023;**301**:115848. [PubMed ID: 36272492]. <https://doi.org/10.1016/j.jep.2022.JJ15848>.
19. Sanadi RM, Deshmukh RS. The effect of Vitamin C on melanin pigmentation - A systematic review. *J Oral Maxillofac Pathol.* 2020;**24**(2):374-82. [PubMed ID: 33456250]. [PubMed Central ID: PMC7802860]. [https://doi.org/10.4103/jomfp.JOMFP\\_207\\_20](https://doi.org/10.4103/jomfp.JOMFP_207_20).
20. Manriquez JJ, Cataldo K, Vera-Kelle C, Harz-Fresno I. Wrinkles. *BMJ Clin Evid.* 2014;**2014**. [PubMed ID: 25569867]. [PubMed Central ID: PMC4278179].
21. Aznar-Casanova J, Torro-Alves N, Fukusima S. How much older do you get when a wrinkle appears on your face? Modifying age estimates by number of wrinkles. *Neuropsychol Dev Cogn B Aging Neuropsychol Cogn.* 2010;**17**(4):406-21. [PubMed ID: 20077236]. <https://doi.org/10.1080/13825580903420153>.
22. Ro HS, Jang HJ, Kim GR, Park SJ, Lee HY. Enhancement of the Anti-Skin Wrinkling Effects of Aloe arborescens Miller Extracts Associated with Lactic Acid Fermentation. *Evid Based Complement Alternat Med.* 2020;**2020**:2743594. [PubMed ID: 32565850]. [PubMed Central ID: PMC7288207]. <https://doi.org/10.1155/2020/2743594>.
23. Kim E, Hwang K, Lee J, Han SY, Kim EM, Park J, et al. Skin Protective Effect of Epigallocatechin Gallate. *Int J Mol Sci.* 2018;**19**(1). [PubMed ID: 29316635]. [PubMed Central ID: PMC5796122]. <https://doi.org/10.3390/ijms19010173>.
24. Oarga Porumb DP, Cornea-Cipcigan M, Cordea MI. Unveiling the mechanisms for the development of rosehip-based dermatological products: an updated review. *Front Pharmacol.* 2024;**15**:1390419. [PubMed ID: 38666029]. [PubMed Central ID: PMC11043540]. <https://doi.org/10.3389/fphar.2024.1390419>.
25. Yang Y, Ren C, Zhang Y, Wu X. Ginseng: An Nonnegligible Natural Remedy for Healthy Aging. *Aging Dis.* 2017;**8**(6):708-20. [PubMed ID: 29344412]. [PubMed Central ID: PMC5758347]. <https://doi.org/10.14336/AD.2017.0707>.
26. Izadi M, Sadri N, Abdi A, Zadeh MMR, Jalaei D, Ghazimoradi MM, et al. Longevity and anti-aging effects of curcumin supplementation. *Gerosci J.* 2024;**46**(3):2933-50. [PubMed ID: 38409646]. [PubMed Central ID: PMC11009219]. <https://doi.org/10.1007/s11357-024-01092-5>.
27. Guerra KC, Toncar A, Krishnamurthy K. *Miliaria*. Treasure Island (FL): StatPearls; 2024. eng.
28. Carter R, Garcia AM, Souhan BE. Patients presenting with miliaria while wearing flame resistant clothing in high ambient temperatures: a case series. *J Med Case Rep.* 2011;**5**:474. [PubMed ID: 21939537]. [PubMed Central ID: PMC3195105]. <https://doi.org/10.1186/1752-1947-5-474>.
29. Onal H, Adal E, Ersen A, Onal Z, Keskindemirci G. Miliaria rubra and thrombocytosis in pseudohypoaldosteronism: case report. *Platelet J.* 2012;**23**(8):645-7. [PubMed ID: 22150373]. <https://doi.org/10.3109/09537104.2011.641624>.
30. Urbatsch A, Paller AS. Pustular miliaria rubra: a specific cutaneous finding of type I pseudohypoaldosteronism. *Pediatr Dermatol.* 2002;**19**(4):317-9. [PubMed ID: 12220275]. <https://doi.org/10.1046/j.j1525-1470.2002.00090.x>.
31. Akcakus M, Koklu E, Poyrazoglu H, Kurtoglu S. Newborn with pseudohypoaldosteronism and miliaria rubra. *Int J Dermatol.* 2006;**45**(12):1432-4. [PubMed ID: 17184247]. <https://doi.org/10.1111/j.1365-4632.2006.02936.x>.
32. Backer HD, D'Arcy NT, Davis AJ, Barton B, Sporer KA. Statewide Method of Measuring Ambulance Patient Offload Times. *Prehosp Emerg Care.* 2019;**23**(3):319-26. [PubMed ID: 30257596]. <https://doi.org/10.1080/10903127.2018.1525456>.
33. Mitchell JN, Stamm WP. Treatment of prickly heat. *Trans R Soc Trop Med Hyg.* 1956;**50**(4):420-1. [PubMed ID: 13360994]. [https://doi.org/10.1016/0035-9203\(56\)90051-7](https://doi.org/10.1016/0035-9203(56)90051-7).
34. Surjushe A, Vasani R, Saple DG. Aloe vera: a short review. *Indian J Dermatol.* 2008;**53**(4):163-6. [PubMed ID: 19882025]. [PubMed Central ID: PMC2763764]. <https://doi.org/10.4103/0019-5154.44785>.
35. Mohideen M, Zainal Abidin NSI, Hazmie Idris MI, Kamaruzaman NA. An Overview of Antibacterial and Antifungal Effects of Azadirachta indica Crude Extract: A Narrative Review. *Biomedic Pharmacol J.* 2022;**15**(1):505-14. <https://doi.org/10.13005/bpj/2391>.
36. Srivastava JK, Shankar E, Gupta S. Chamomile: A herbal medicine of the past with bright future. *Mol Med Rep.* 2010;**3**(6):895-901. [PubMed ID: 21132119]. [PubMed Central ID: PMC2995283]. <https://doi.org/10.3892/mmr.2010.377>.
37. Cohen MM. Tulsi - Ocimum sanctum: A herb for all reasons. *J Ayurveda Integr Med.* 2014;**5**(4):251-9. [PubMed ID: 25624701]. [PubMed

- Central ID: [PMC4296439](#)]. <https://doi.org/10.4103/0975-9476.146554>.
38. Hidano A, Purwoko R, Jitsukawa K. Statistical survey of skin changes in Japanese neonates. *Pediatr Dermatol*. 1986;3(2):140-4. [PubMed ID: [3952030](#)]. <https://doi.org/10.1111/j.1525-1470.1986.tb00505.x>.
  39. Kim DP, Kus KJB, Ruiz E. Basal Cell Carcinoma Review. *Hematol Oncol Clin North Am*. 2019;33(1):13-24. [PubMed ID: [30497670](#)]. <https://doi.org/10.1016/j.hoc.2018.09.004>.
  40. Singh B, Pal P, Chaturvedi P. Squamous Cell Carcinoma of Scalp: Our Experience in a Single Tertiary Care Centre. *Indian J Otolaryngol Head Neck Surg*. 2022;74(Suppl 2):1841-4. [PubMed ID: [36452688](#)]. [PubMed Central ID: [PMC9702015](#)]. <https://doi.org/10.1007/s12070-020-01864-3>.
  41. Goyal A, O'Leary D, Goyal K, Patel K, Pearson D, Janakiram M. Cutaneous T-cell lymphoma is associated with increased risk of lymphoma, melanoma, lung cancer, and bladder cancer. *J Am Acad Dermatol*. 2021;85(6):1418-28. [PubMed ID: [32822803](#)]. <https://doi.org/10.1016/j.jaad.2020.06.1033>.
  42. Bunnell AM, Nedrud SM, Fernandes RP. Classification and Staging of Melanoma in the Head and Neck. *Oral Maxillofac Surg Clin North Am*. 2022;34(2):221-34. [PubMed ID: [35491079](#)]. <https://doi.org/10.1016/j.coms.2021.12.001>.
  43. Garbe C, Amaral T, Peris K, Hauschild A, Arenberger P, Basset-Seguin N, et al. European consensus-based interdisciplinary guideline for melanoma. Part 1: Diagnostics: Update 2022. *Eur J Cancer*. 2022;170:236-55. [PubMed ID: [35570085](#)]. <https://doi.org/10.1016/j.ejca.2022.03.008>.
  44. Perez M, Abisaad JA, Rojas KD, Marchetti MA, Jaimes N. Skin cancer: Primary, secondary, and tertiary prevention. Part I. *J Am Acad Dermatol*. 2022;87(2):255-68. [PubMed ID: [35176397](#)]. <https://doi.org/10.1016/j.jaad.2021.12.066>.
  45. Ahmed B, Qadir MI, Ghafoor S. Malignant Melanoma: Skin Cancer-Diagnosis, Prevention, and Treatment. *Crit Rev Eukaryot Gene Expr*. 2020;30(4):291-7. [PubMed ID: [32894659](#)]. <https://doi.org/10.1615/CritRevEukaryotGeneExpr.2020028454>.
  46. Tiyaboonchai W, Tungpradit W, Plianbangchang P. Formulation and characterization of curcuminoids loaded solid lipid nanoparticles. *Int J Pharm*. 2007;337(1-2):299-306. [PubMed ID: [17287099](#)]. <https://doi.org/10.1016/j.ijpharm.2006.12.043>.
  47. Singh BN, Shankar S, Srivastava RK. Green tea catechin, epigallocatechin-3-gallate (EGCG): mechanisms, perspectives and clinical applications. *Biochem Pharmacol*. 2011;82(12):1807-21. [PubMed ID: [21827739](#)]. [PubMed Central ID: [PMC4082721](#)]. <https://doi.org/10.1016/j.bcp.2011.07.093>.
  48. Emadi SA, Ghasemzadeh Rahbardar M, Mehri S, Hosseinzadeh H. A review of therapeutic potentials of milk thistle (*Silybum marianum* L.) and its main constituent, silymarin, on cancer, and their related patents. *Iran J Basic Med Sci*. 2022;25(10):1166-76. [PubMed ID: [36311193](#)]. [PubMed Central ID: [PMC9588316](#)]. <https://doi.org/10.22038/IJBM.S.2022.63200.1396>.
  49. Sanchez M, Gonzalez-Burgos E, Iglesias I, Gomez-Serranillos MP. Pharmacological Update Properties of Aloe Vera and its Major Active Constituents. *Molcul J*. 2020;25(6). [PubMed ID: [32183224](#)]. [PubMed Central ID: [PMC7144722](#)]. <https://doi.org/10.3390/molecules25061324>.
  50. Miller KD, Siegel RL, Lin CC, Mariotto AB, Kramer JL, Rowland JH, et al. Cancer treatment and survivorship statistics, 2016. *CA Cancer J Clin*. 2016;66(4):271-89. [PubMed ID: [27253694](#)]. <https://doi.org/10.3322/caac.21349>.
  51. Grossi E, Cazzaniga S, Crotti S, Naldi L, Di Landro A, Ingordo V, et al. The constellation of dietary factors in adolescent acne: a semantic connectivity map approach. *J Eur Acad Dermatol Venereol*. 2016;30(1):96-100. [PubMed ID: [25438834](#)]. <https://doi.org/10.1111/jdv.12878>.
  52. Camazine S, Bye RA. A study of the medical ethnobotany of the Zuni Indians of New Mexico. *J Ethnopharmacol*. 1980;2(4):365-88. [PubMed ID: [6893476](#)]. [https://doi.org/10.1016/s0378-8741\(80\)81017-8](https://doi.org/10.1016/s0378-8741(80)81017-8).
  53. Coondoo A, Sengupta S. Serendipity and its role in dermatology. *Indian J Dermatol*. 2015;60(2):130-5. [PubMed ID: [25814699](#)]. [PubMed Central ID: [PMC4372903](#)]. <https://doi.org/10.4103/0019-5154.152504>.
  54. Murphy M, Hubert J, Wang R, Galindo-Gonzalez L. Seed protein biotyping in Amaranthus species: a tool for rapid identification of weedy amaranths of concern. *Plant Methods*. 2023;19(1):143. [PubMed ID: [38072925](#)]. [PubMed Central ID: [PMC10712156](#)]. <https://doi.org/10.1186/s13007-023-01116-9>.
  55. Nandy S, Mukherjee A, Pandey DK, Ray P, Dey A. Indian Sarsaparilla (*Hemidesmus indicus*): Recent progress in research on ethnobotany, phytochemistry and pharmacology. *J Ethnopharmacol*. 2020;254:112609. [PubMed ID: [32007632](#)]. <https://doi.org/10.1016/j.jep.2020.112609>.
  56. Singh SP, Kumar S, Mathan SV, Tomar MS, Singh RK, Verma PK, et al. Therapeutic application of *Carica papaya* leaf extract in the management of human diseases. *Daru J*. 2020;28(2):735-44. [PubMed ID: [32367410](#)]. [PubMed Central ID: [PMC7704890](#)]. <https://doi.org/10.1007/s40199-020-00348-7>.
  57. Kocaadam B, Sanlier N. Curcumin, an active component of turmeric (*Curcuma longa*), and its effects on health. *Crit Rev Food Sci Nutr*. 2017;57(13):2889-95. [PubMed ID: [26528921](#)]. <https://doi.org/10.1080/10408398.2015.1077195>.
  58. Kandasamy A, Aruchamy K, Rangasamy P, Varadharajan D, Gowri C, Oh TH, et al. Phytochemical Analysis and Antioxidant Activity of *Centella Asiatica* Extracts: An Experimental and Theoretical Investigation of Flavonoids. *Plants (Basel)*. 2023;12(20). [PubMed ID: [37896010](#)]. [PubMed Central ID: [PMC10610425](#)]. <https://doi.org/10.3390/plants12203547>.
  59. Chaudhary A, Sharma S, Mittal A, Gupta S, Dua A. Phytochemical and antioxidant profiling of *Ocimum sanctum*. *J Food Sci Technol*. 2020;57(10):3852-63. [PubMed ID: [32903995](#)]. [PubMed Central ID: [PMC7447722](#)]. <https://doi.org/10.1007/s13197-020-04417-2>.
  60. Bulla S, Reddyvari H, Nallanchakravarthula V, Vaddi DR. Therapeutic Potential of *Pterocarpus santalinus* L.: An Update. *Pharmacogn Rev*. 2016;10(19):43-9. [PubMed ID: [27041873](#)]. [PubMed Central ID: [PMC4791987](#)]. <https://doi.org/10.4103/0973-7847.176575>.
  61. El-Saber Batiha G, Magdy Beshbishi A, G. Wasef L, Elewa YHA, A. Al-Sagan A, Abd El-Hack ME, et al. Chemical Constituents and Pharmacological Activities of Garlic (*Allium sativum* L.): A Review. *Nutr J*. 2020;12(3). [PubMed ID: [32213941](#)]. [PubMed Central ID: [PMC7146530](#)]. <https://doi.org/10.3390/nut2030872>.
  62. Vucic V, Grabez M, Trchounian A, Arsic A. Composition and Potential Health Benefits of Pomegranate: A Review. *Curr Pharm Des*. 2019;25(16):1817-27. [PubMed ID: [31298147](#)]. <https://doi.org/10.2174/1381612825666190708183941>.
  63. Laribi B, Kouki K, M'Hamdi M, Bettaieb T. Coriander (*Coriandrum sativum* L.) and its bioactive constituents. *Fitoterapia J*. 2015;103:9-26. [PubMed ID: [25776008](#)]. <https://doi.org/10.1016/j.fitote.2015.03.012>.

64. Alvarez-Suarez JM, Gasparrini M, Forbes-Hernandez TY, Mazzoni L, Giampieri F. The Composition and Biological Activity of Honey: A Focus on Manuka Honey. *Food J.* 2014;3(3):420-32. [PubMed ID: 28234328]. [PubMed Central ID: PMC5302252]. <https://doi.org/10.3390/foods3030420>.
65. Rana TS, Mahar KS, Pandey MM, Srivastava SK, Rawat AK. Molecular and chemical profiling of 'sweet flag' (*Acorus calamus L.*) germplasm from India. *Physiol Mol Biol Plants.* 2013;19(2):231-7. [PubMed ID: 24431490]. [PubMed Central ID: PMC3656192]. <https://doi.org/10.1007/s12298-013-0164-8>.
66. Asghari MH, Fallah M, Moloudizargari M, Mehdikhani F, Sepehrnia P, Moradi B. A Systematic and Mechanistic Review on the Phytopharmacological Properties of Alhagi Species. *Anc Sci Life.* 2016;36(2):65-71. [PubMed ID: 28446826]. [PubMed Central ID: PMC5382820]. [https://doi.org/10.4103/asl.ASL\\_37\\_16](https://doi.org/10.4103/asl.ASL_37_16).
67. Kaushik D, Yadav J, Kaushik P, Sacher D, Rani R. Current pharmacological and phytochemical studies of the plant *Alpinia galanga*. *Zhong Xi Yi Jie He Xue Bao.* 2011;9(10):1061-5. [PubMed ID: 22015185]. <https://doi.org/10.3736/jcim2011004>.
68. Alemayehu GF, Forsido SF, Tola YB, Amare E. Nutritional and Phytochemical Composition and Associated Health Benefits of Oat (*Avena sativa*) Grains and Oat-Based Fermented Food Products. *Sci World J.* 2023;2023:2730175. [PubMed ID: 37492342]. [PubMed Central ID: PMC10365923]. <https://doi.org/10.1155/2023/2730175>.
69. Sarkar S, Singh RP, Bhattacharya G. Exploring the role of *Azadirachta indica* (neem) and its active compounds in the regulation of biological pathways: an update on molecular approach. *3 Biotech J.* 2021;11(4):178. [PubMed ID: 33927969]. [PubMed Central ID: PMC7981372]. <https://doi.org/10.1007/s13205-021-02745-4>.
70. Arora D, Rani A, Sharma A. A review on phytochemistry and ethnopharmacological aspects of genus *Calendula*. *Pharmacogn Rev.* 2013;7(14):179-87. [PubMed ID: 24347926]. [PubMed Central ID: PMC3841996]. <https://doi.org/10.4103/0973-7847.120520>.
71. Ru W, Wang D, Xu Y, He X, Sun YE, Qian L, et al. Chemical constituents and bioactivities of Panax ginseng (C. A. Mey.). *Drug Discov Ther.* 2015;9(1):23-32. [PubMed ID: 25788049]. <https://doi.org/10.5582/ddt.2015.01004>.
72. Lu JM, Yao Q, Chen C. Ginseng compounds: an update on their molecular mechanisms and medical applications. *Curr Vasc Pharmacol.* 2009;7(3):293-302. [PubMed ID: 19601854]. [PubMed Central ID: PMC2928028]. <https://doi.org/10.2174/15701610978340767>.
73. Mo Z, Yuan J, Guan X, Peng J. Advancements in Dermatological Applications of Curcumin: Clinical Efficacy and Mechanistic Insights in the Management of Skin Disorders. *Clin Cosmet Investig Dermatol.* 2024;17:1083-92. [PubMed ID: 38765192]. [PubMed Central ID: PMC11100965]. <https://doi.org/10.2147/CCID.S467442>.
74. Sharma P, Montes de Oca MK, Alkeswani AR, McClees SF, Das T, Elmets CA, et al. Tea polyphenols for the prevention of UVB-induced skin cancer. *Photodermatol Photoimmunol Photomed.* 2018;34(1):50-9. [PubMed ID: 29044724]. [PubMed Central ID: PMC5774988]. <https://doi.org/10.1111/phpp.12356>.
75. Altinkaynak C, Haciosmanoglu E, Ekremoglu M, Hacioglu M, Ozdemir N. Anti-microbial, anti-oxidant and wound healing capabilities of Aloe vera-incorporated hybrid nanoflowers. *J Biosci Bioeng.* 2023;135(4):321-30. [PubMed ID: 36806412]. <https://doi.org/10.1016/j.jbiosc.2023.01.004>.

Company/products	Ingredients	Pictures
Himalaya/apricot face wash	Apricot, red lentil, aloe, neem	
Himalaya/fairness kesar face wash	Kesar, mint, cucumber, pomegranate extract	
Ayur/tea tree face wash	Tea tree oil, turmeric	
Patanjali/lemon honey face wash	Lemon, tulsi, honey	
Himalaya/neem scrub	Apricot, neem	
Patanjali/aloe vera moisturizing cream	Aloe, coconut oil, shea butter, wheat germ oil	
Mamaearth/sunscreen	Carrot seed, turmeric, carrot seed oil, turmeric, orange oil, and cananga oil	
Patanjali/anti-wrinkle cream	Ghrit kumari, wheat oil, almond oil, chironji oil, cucumber, papaya and banana pulp, chandan and haldi ghansatv	
Himalaya/nourishing skin cream	Aloe, indian pennywort, indian kino, winter cherry	
Ayur/herbal moisturizer	Wheat germ oil, olive oil, turmeric extract	

**Figure 3.** Marketed products for skin care