



Reliability and Validity of the Persian Version of the Professional Self Identity Questionnaire (PSIQ) in Iranian Students in Shiraz

Mina Salari¹, Mitra Amini ^{2,*}, Rita Rezaee², Ali Asghar Hayat², Somayeh Delavari³, Soolmaz Zare², Mahsa Moosavi⁴, Peyman Jafari⁵

¹ Shiraz School of Medicine, Shiraz University of Medical Sciences, Shiraz, Iran

² Clinical Education Research Center, Shiraz University of Medical Sciences, Shiraz, Iran

³ Center for Educational Research in Medical Sciences (CERMS), Department of Medical Education, School of Medicine, Iran University of Medical Sciences, Tehran, Iran

⁴ Department of Mathematics and Statistics, University of Regina, Regina, SK, Canada

⁵ Department of Biostatistics, Shiraz University of Medical Sciences, Shiraz, Iran

*Corresponding author: Clinical Education Research Center, Shiraz University of Medical Sciences, Shiraz, Iran. Email: mitraamini51@yahoo.com

Received 2023 July 9; Revised 2024 August 2; Accepted 2024 August 12.

Abstract

Background: Professional identity is a vital component of medical education that influences the future practice of medical students. Currently, there is a lack of a reliable and valid Persian scale for measuring students' readiness for professional identity.

Objectives: This study aims to determine whether the Professional Self-identity Questionnaire (PSIQ) can be adapted for Persian healthcare professions.

Methods: A descriptive-correlation study was conducted among medical students (years 4 - 7) at Shiraz Medical School. A total of 175 students completed the Persian version of the PSIQ using stratified sampling. The PSIQ consists of nine items. Categorical Confirmatory Factor Analysis (CCFA) and Cronbach's alpha coefficient were used to assess the questionnaire's validity and reliability. The questionnaire was translated into Persian by two independent translators whose first language was Persian, and an agreement was reached. Data analysis and the path diagram were conducted using R.3.6.2 software with the lavaan and semPlot packages.

Results: An eight-person expert panel approved the face, content, and structural validity of the questionnaire. The items' Content Validity Index (CVI) exceeded 0.79, and the questionnaire's overall Content Validity Ratio (CVR) exceeded 0.75, according to the Lawshe table. The goodness-of-fit indices for the professional self-identity model included the root mean square error of approximation (RMSEA), Tucker-Lewis Index (TLI), and Comparative Fit Index (CFI) (RMSEA = 0.055, CFI = 0.996, and TLI = 0.994). The Cronbach's alpha coefficients for the three subscales—"profession-specific tasks," "generic attributes," and "inter-personal tasks"—were 0.762, 0.622, and 0.747, respectively (P-value < 0.05). The internal consistency of the entire questionnaire, measured by Cronbach's alpha, was 0.873. These statistical results indicate that the hypothesized three-factor model fit the sample data well. Consequently, all nine items were significantly loaded on the three domains.

Conclusions: The Persian-translated version of the PSIQ appears to be an appropriate, valid, and reliable tool for assessing the professional self-identity attitudes of medical students in Iran.

Keywords: Reliability, Validity, Persian Version, Professional Self Identity Questionnaire (PSIQ), Iranian Students

1. Background

Physician training encompasses much more than acquiring knowledge of basic sciences, pathophysiology, diagnosis, and disease management. Medical students should also learn skills such as

interpersonal communication, empathy, self-care, and professional identity (1). Professional identity has been a longstanding concept in medicine (2). It can be defined as the subjective sense of belonging to a particular professional group (3, 4). In medicine, professional identity refers to how a doctor perceives themselves as a

physician (5). Cruess RL et al. described professional identity as a symbol developed over time, in which the norms and values of the medical profession are internalized. This internalization results in thinking, acting, and feeling like a physician (6).

The development of professional identity is subjective and influenced by various factors, including social, demographic, and personality aspects (3). According to Cruess et al., identity formation consists of three domains. The first domain is individual identity, which includes personal characteristics, self-esteem, and life experiences. The second domain is relational identity, which involves relationships with friends, family members, mentors, and colleagues. The third domain is collective identity, relating to the social groups a person wishes to join or belongs to (7). Crossley and Vivekananda-Schmidt identified that professional identity is influenced by three factors: (1) profession-specific tasks, (2) 'generic attributes,' and (3) 'interpersonal tasks' (3). Pratt et al. highlighted socialization, identity work, and career/role transitions as different aspects of identity construction (8). According to Tagawa's study, professional identity formation involves self-control as a professional, awareness of being a medical doctor, reflection as a medical practitioner, execution of social responsibility, and both external and internal self-harmonization. However, medical learners differ in their experiences and development processes of professional identity (9).

These findings highlight the varied experiences in the development of professional identity. Generally, professional identity is influenced by the learning environment, personal characteristics, role models and mentors, clinical and non-clinical experiences, peer attitudes, healthcare professionals (7), life experiences, socialization in academic and clinical settings, and technological and societal factors (5). There may be significant differences in professional identity formation between Western and Eastern cultures, potentially due to factors such as religion and beliefs (10). In the field of medical education, numerous factors may create barriers for some students while offering opportunities for others, leading to inequity in different parts of the world. While one medical student may receive support and guidance, another may face challenges on the path to becoming a physician (11).

Professional identity is a vital component of medical education (3-12). It influences the future practice of medical students in the workplace. Potential challenges associated with healthcare settings (10) and delays in acquiring this essential competency can hinder the successful transition from medical student to physician

(3). The lack of clarity in professional identity can significantly impact a practitioner's confidence in expressing their professional opinions (12). Therefore, one of the key objectives of the medical education curriculum is to facilitate the development of professional identity formation in students (8).

Numerous studies have explored physicians' professional identity (8, 13-16). The frameworks for professionalism that lead to professional identity formation vary across cultures, making the journey to becoming a doctor dependent on the specific context, culture, and country. Cultural differences in professional identity formation may relate to physician-patient communication, healthcare structure, and the culture within medical education (17).

A critical issue in professional identity formation is understanding how different students, influenced by factors such as gender, age, race, and ethnicity, overcome barriers to attain professional identity. The various circumstances that influence professional self-identity formation are under-studied (18).

Despite the global interest in professional identity, there is concern about the lack of a valid and reliable Persian scale to measure professional identity within Persian and Iranian culture. Validating such tools in different societies could significantly aid in applying these concepts in vocational training. One of the questionnaires used for measuring this ability is the Professional Self-identity Questionnaire (PSIQ).

2. Objectives

This study aims to determine whether the PSIQ, originally developed within Western culture, can be adapted to the Iranian context.

3. Methods

3.1. Study Design and Participants

This quantitative study uses a descriptive design conducted on medical students (years 4 - 7) at Shiraz Medical School in 2019. The PSIQ consists of nine items, and to assess the validity and reliability of the questionnaire, 180 students were randomly included in the study. Each year, forty-five medical students were selected using a stratified sampling approach. A total of 175 medical students (years 4 - 7) with a mean age of 23.52 ± 1.54 completed the questionnaire, resulting in a response rate of 87.5%.

3.2. Questionnaire

There are validated methods developed for assessing professional identity, and one of the tools used in the present study is the PSIQ. This tool was developed in 2009 by Crossley and Vivekananda-Schmidt, who examined the curricular features that contribute to developing a professional identity. The panel of experts revised and modified the translation. The Persian version of the survey was distributed to eight faculty members in the Department of Medical Education. They were asked to rate the items' relevance and thoroughness to assess their face and content validity. The items' Content Validity Index (CVI) exceeded 0.79, and the questionnaire's overall content validity ratio (CVR) exceeded 0.75, according to the Lawshe table. To assess the quantitative face validity of the questions, we used the item impact method to calculate impact scores for each question. The results indicated that each item had an impact score greater than 1.5, suggesting that the questions should undergo additional analysis.

The instrument was designed to reflect areas of professional activity common to the health professions, within which professional self-identity would operate. This questionnaire includes nine items that indicate three domains. The latent constructs proposed by these three factors are: "Profession-specific tasks" (conducting assessments, using records, dealing with emergencies, and teaching), "generic attributes" (cultural awareness, ethical awareness, and reflection), and "inter-personal tasks" (teamwork and communication). Each item is rated on a 6-point Likert scale. This instrument measures the sense of students in identifying their present position on a range between 'first-day student' and 'qualified doctor' (1 point as "equivalent to the first day of clinical practice" and 6 points as "qualified doctor"). The internal consistency of the original PSIQ, measured by Cronbach's alpha, was 0.93. As an indication of validity, more experienced medical students scored higher on the PSIQ than less experienced students (3). The present questionnaire has been used in pharmacy (19), medicine (4-20), dentistry (4), and nursing (20) professions.

3.3. Procedure

In the first step, written permission to use the PSIQ was obtained by email from the developer of the questionnaire. The PSIQ was initially translated into Persian by two independent translators whose first language was Persian. The translated versions were then reviewed to reach an agreement. The translated PSIQ was reviewed for variations using the back-translation method, with the help of two independent translators

who were native English speakers. These back translators were blinded to the original PSIQ, meaning they had no access to the original English version (21). The translations were compared to the original English version to ensure conceptual similarity.

The final Persian translation was reviewed by an expert committee of eight members, including medical doctors familiar with medical education and professionalism, methodologists, language professionals, and the forward and backward translators. The committee assessed whether the translation reflected the same ideas as the original version. Each committee member provided comments on items they found unclear. The participants also rated the relevance, precision, practicality, and clarity of the questionnaire items on a scale from 1 to 5. Based on the review results, the Persian translation was revised to ensure cultural comparability. Finally, grammatical and spelling errors were checked, and the final Persian translation was developed.

We distributed the Persian-translated version of the PSIQ to final-year medical students. The purpose of the PSIQ was explained to the students, and it was clarified that the results would be used anonymously for research purposes only. All items were scored on a six-point Likert scale (from 1 as the lowest to 6 as the highest). The raw subscale scores were transformed into values ranging from 3 to 18, with higher scores indicating better task performance.

3.4. Ethics Approval and Consent to Participate

Before commencing the study, ethical approval was obtained from the Shiraz University of Medical Sciences Research Ethics Committee (code: [IR.SUMS.MED.REC.1398.382](https://doi.org/10.30471/IR.SUMS.MED.REC.1398.382)). Informed consent was obtained from all participants, and data anonymity was guaranteed. Medical students were informed of their right to withdraw from the study at any time, for any reason, without penalty. All methods were performed in accordance with the relevant guidelines and regulations.

3.5. Statistical Analyses

Exploratory factor analysis (EFA) with varimax rotation was used to assess the construct of the PSIQ. All factors (items) had eigenvalues greater than 1.00. Ordered-categorical confirmatory factor analysis (CCFA), initially designed for the Likert response scale, was employed to evaluate the construct validity of the questionnaire. By using CCFA, we could measure how well our data aligned with the extracted domains. In

this study, we investigated whether the hypothesized three-factor model fit the data well.

Three criteria were used to assess the goodness of fit of the model: The root mean square error of approximation (RMSEA), the Tucker-Lewis index (TLI), and the comparative fit index (CFI). CFI values greater than 0.9 indicate a good fit, while values above 0.95 indicate an excellent fit. For the TLI, values greater than 0.90 are acceptable, and those above 0.95 represent a good fit. An RMSEA value less than 0.08 indicates an acceptable fit, while a value below 0.05 indicates an excellent fit (22).

To assess the internal reliability of the PSIQ, we calculated Cronbach's alpha for each subscale. A coefficient alpha equal to or greater than 0.70 was considered indicative of satisfactory reliability for the scale score (23, 24).

Statistical data analysis was conducted using the diagonal weighted least square (DWLS) estimation procedure in the lavaan package in R.3.6.2 software. Additionally, the path diagram was plotted using the semPlot package in this statistical software.

4. Results

A total of 175 participants completed the questionnaires (male: Seventy-seven, female: Ninety-eight). The mean age of the participants was 23.52 ± 1.54 years. The scree plot graphically displayed the eigenvalues of each factor and suggested that three predominant factors accounted for 86.19% of the variance, as shown in Figure 1.

The EFA results are displayed in Table 1. Three factors with an eigenvalue of > 1.00 were identified from all nine items of the PSIQ, accounting for 86.19% of the dataset's variance. This was similar to the original PSIQ version in terms of how the items were loaded onto the factors. All the PSIQ items had a factor loading higher than 0.40 on the corresponding domain.

The results of the CCFA indicated that all values of CFI and TLI were greater than 0.95, and the RMSEA index was less than 0.08, supporting the excellent and satisfactory fit of the three-factor CCFA model (Table 2).

Moreover, the path diagram showed that all of the items (questions) were properly loaded (higher than 0.5) onto the subscales of profession-specific tasks, generic attributes, and interpersonal tasks (Figure 2).

The results of the reliability test for the three dimensions of the questionnaire are shown in Table 2. Cronbach's alpha was measured to assess the internal consistency of the items within each subscale. The results revealed that the Cronbach's alpha coefficients

for the three factors—"profession-specific tasks," "generic attributes," and "interpersonal tasks" subscales—were 0.762, 0.622, and 0.747, respectively (P -Value < 0.05) (Table 3). The internal consistency of the entire questionnaire, as measured by Cronbach's alpha, was 0.873.

5. Discussion

Professional identity is derived from the individual role that people take on in their work (25). It affects perceptions of a medical student's role in medicine (5). Professional identity formation is influenced by students' emotional and spiritual maturity (10-25), leading to the distinction between being a physician and merely practicing medicine (25). It is essential to assess the professional identity status of health professional students using a valid and reliable tool. The present study aimed to examine whether the three-factor model of the original version of the PSIQ could be applied to the Persian translation of this scale.

The findings are consistent with those of Crossley and Vivekananda-Schmidt's study (3). The internal consistency of the Persian version (0.873) and the original version were approximately similar (0.93). The results of the present study confirmed that the PSIQ includes three factors: "Profession-specific tasks," "generic attributes," and "interpersonal tasks" (3). The internal consistency of these three factors was comparable (0.762, 0.747, and 0.622).

The value of RMSEA suggests that the three-factor model fits the participants' covariance matrix. It is a robust and valuable fit index due to its sensitivity to the number of parameters evaluated in this model. In the present study, the CFI, estimated to examine a statistical model's goodness-of-fit, is above the threshold (0.996), indicating that the three-factor model fits the independent model well. TLI was calculated to measure the difference between the χ^2 value of the three-factor model and the χ^2 value of the null model. The values of the TLI indicate a well-fitting model (26-28).

The values mentioned above demonstrate that the three-factor model fits the sample data. There are three subscales for each factor in the questionnaire.

Interpersonal tasks include teamwork and communication (3). Interprofessional teamwork and communication are prerequisites for professional self-identity (29). A positive attitude toward teamwork is related to the positive self-identity of health professionals (30). As members of a treatment team, developing a professional identity encourages students to collaborate in patient care (5).




Figure 1. Scree plot demonstrating the Eigenvalues of the elements of Professional Self-identity Questionnaire (PSIQ) survey

Profession-specific tasks include conducting assessments, using records, dealing with emergencies, and teaching (3). Reflecting on medical records is essential for maintaining a professional image (31). Confidence in dealing with emergencies and having a clear understanding of one's educational role appear to be critical determinants of students' attitudes toward qualification (3). Additionally, an effective approach is based on the understanding that the deeper impact of initial teacher education touches upon the professional identity of the student-teacher. Timoštšuk and Ugaste (2005) specify that the overall goal of teacher education is best conceived as professional identity development (32). Furthermore, professional identity is created

during various activities, such as bedside and ambulatory teaching, communication skills training, small group teaching, ward rounds, and exchanges in informal settings (33).

Generic attributes include cultural awareness, ethical awareness, and reflection (3). One of the critical issues in professional identity formation is cultural awareness. Professional frameworks show that different social contracts originate from different countries. The professional identities expected of physicians in these countries are based on these contracts, making self-identity formation dependent on culture and country (17). An important domain in professional identity formation is intersectionality, which considers how

Table 1. Results of Exploratory Factor Analysis of the Persian version of the Professional Self Identity Questionnaire; Rotated Component Matrix


Items	Factor 1	Factor 2	Factor 3
1	0.93	0.18	-0.06
2	0.90	0.19	-0.05
3	0.91	0.13	0.12
4	0.15	0.91	0.17
5	0.16	0.90	0.08
6	0.22	0.89	0.20
7	-0.01	0.13	0.92
8	-0.03	0.11	0.93
9	0.05	0.15	0.87

Abbreviation: PSIQ, Professional Self-identity Questionnaire.

Table 2. The Results of the Categorical Confirmatory Factor Analysis for the Hypothesized CFA Models

Factor Model	Fit Index	Acceptable Range
RMSEA	0.055	< 0.08
CFI	0.996	> 0.95
TLI	0.994	> 0.95

Abbreviation: CCFA, Categorical Confirmatory Factor Analysis.

**Figure 2.** Path diagram for three-factor model of the professional Self-identity questionnaire (PSIQ)

gender, race, historical, and cultural factors affect this process. Understanding how various identity experiences influence different medical students is crucial for improving health care delivery. Few studies have explored intersectionality and professional identity formation, and most professional identity

research has been silent about how race, culture, or ethnicity influence this process (18). In Eastern countries like Iran, aspects such as hierarchies, communication with patients, teamwork, patient-centeredness, and informed consent differ from those in Western countries. However, the Persian translation revealed

Table 3. Cronbach's Alpha, Mean, Standard Deviation, Maximum and Minimum of the Subscales of the PSIQ

Factors	No. Items	Cronbach's Alpha	Mean \pm SD	(Min, Max)	Intraclass Correlation Coefficient (ICC)
Profession specific tasks	3	0.762	11.61 \pm 2.89	(4,18)	0.75
Generic attributes	3	0.722	12.40 \pm 2.60	(6,18)	0.69
Interpersonal tasks	3	0.747	10.48 \pm 3.01	(3,18)	0.71
Total	9	0.873	11.50 \pm 2.98	(8, 54)	0.78

Abbreviations: PSIQ Min, Professional Self Identity Questionnaire; Minimum score; Max, Maximum score; %Min; and %Max, Percentage of Minimum and Maximum score.

that it is a valid and reliable tool in all subscales based on Iranian culture.

The effectiveness of reflection is reinforced when supported by a mentor or conducted as a team activity (7). Reflection is a critical component of professional identity formation and development (34). Additionally, family members, friends, home environments, and other outside influences provide a basis for the professional identity formation process. These factors can either support the commitment essential to becoming a medical professional or inhibit it. Such external influences have become increasingly important as recent generations of students and physicians seek to balance their commitment to medicine with personal well-being and lifestyle (7).

Haruta et al. validated the PSIQ in clinical settings in Japan, demonstrating its validity, which aligns with our findings. Our study also showed that the questionnaire's three factors and all its questions had high Cronbach's alpha coefficient values (35).

A strength of this study is the high response rate from a stratified sample. Another strength is that the integration of medical education and the healthcare delivery system in Iran provides a unique opportunity for using healthcare fields to teach medical students. These fields, especially in rural areas, may improve professional identity formation (36, 37).

However, there are several limitations to this study. First, the research was conducted at a single medical school, so generalizability is limited. Second, the study sample only included medical students, who may not represent other health science students. Third, response bias might occur due to the nature of self-reports.

Given these limitations, additional data collection is essential for using this questionnaire in other health professions. Different study designs, such as random sampling, are recommended to increase generalizability and representativeness. Future studies should focus more on the factors affecting the formation of professional identity in health professional learners.

5.1. Conclusions

In conclusion, this study revealed that the Persian version of the PSIQ is a valid and reliable tool for measuring the professional self-identity of medical students in Iran. Our findings suggest that similar validation studies should be conducted in other countries, as the construct of professional identity is likely influenced by local cultural determinants.

Acknowledgements

This study is a part of the thesis done by the first author, Mina Salari, to obtain a Medical Doctor's degree. It was approved by the vice-chancellor of research at the Shiraz University of Medical Science with ethics code: [IR.SUMS.MED.REC.1398.382](https://doi.org/10.30695/IR.SUMS.MED.REC.1398.382). The authors thank all medical students for participating in the present study.

Footnotes

Authors' Contribution: M. A. and R. R. contributed to the conception of the work, conducted the study, revised the draft, approved the final version of the manuscript, and agreed to all aspects of the work. S. D. contributed to the conception of the work, revising the draft, approving the final version of the manuscript, and agreed to all aspects of the work. M. S., A. A. H., S. Z. contributed to data acquisition, analysis, and interpretation of data and agreed to all aspects of the work. P. J., M. M. contributed to the analysis and interpretation of data, approved the final version of the manuscript, and arranged for all aspects of the work.

Conflict of Interests Statement: The authors declare that they have no conflict of interest.

Data Availability: Data will be available upon request.

Ethical Approval: Before commencing the study, ethical approval was obtained from the Shiraz University of Medical Sciences Research Ethics

Committee with the code: [IR.SUMS.MED.REC.1398.382](https://doi.org/10.1111/medu.14415). Before initiating research.

Funding/Support: All of the funds for the present study were provided by the vice-chancellor of research at Shiraz University of Medical Sciences.

Informed Consent: Informed consent from participants was obtained. The anonymity of the data was guaranteed. We also informed the medical students of their right to refuse to participate for any reason without penalty. All methods were performed in accordance with the related guidelines and regulations.

References

- Houseknecht VE, Roman B, Stolfi A, Borges NJ. A Longitudinal Assessment of Professional Identity, Wellness, Imposter Phenomenon, and Calling to Medicine Among Medical Students. *Med Sci Educ*. 2019;**29**(2):493-7. [PubMed ID: 34457506]. [PubMed Central ID: PMC8368953]. <https://doi.org/10.1007/s40670-019-00718-0>.
- Cruess RL, Cruess SR, Steinert Y. Amending Miller's Pyramid to Include Professional Identity Formation. *Acad Med*. 2016;**91**(2):180-5. [PubMed ID: 26332429]. <https://doi.org/10.1097/acm.0000000000000913>.
- Crossley J, Vivekananda-Schmidt P. The development and evaluation of a Professional Self Identity Questionnaire to measure evolving professional self-identity in health and social care students. *Med Teach*. 2009;**31**(12):e603-7. [PubMed ID: 19995162]. <https://doi.org/10.3109/01421590903193547>.
- Vivekananda-Schmidt P, Crossley J, Murdoch-Eaton D. A model of professional self-identity formation in student doctors and dentists: a mixed method study. *BMC Med Educ*. 2015;**15**(1):83. <https://doi.org/10.1186/s12909-015-0365-7>.
- Wilson I, Cowin LS, Johnson M, Young H. Professional identity in medical students: pedagogical challenges to medical education. *Teach Learn Med*. 2013;**25**(4):369-73. [PubMed ID: 24112208]. <https://doi.org/10.1080/10401334.2013.827968>.
- Cruess RL, Cruess SR, Boudreau JD, Snell L, Steinert Y. Reframing medical education to support professional identity formation. *Acad Med*. 2014;**89**(11):1446-51. [PubMed ID: 25054423]. <https://doi.org/10.1097/acm.0000000000000427>.
- Cruess RL, Cruess SR, Boudreau JD, Snell L, Steinert Y. A schematic representation of the professional identity formation and socialization of medical students and residents: a guide for medical educators. *Acad Med*. 2015;**90**(6):718-25. [PubMed ID: 25785682]. <https://doi.org/10.1097/acm.0000000000000700>.
- Pratt M, Rockmann K, Kaufmann J. Constructing Professional Identity: The Role of Work and Identity Learning Cycles in the Customization of Identity Among Medical Students. *Acad Manage J*. 2006;**49**:235-62. <https://doi.org/10.5465/AMJ.2006.20786060>.
- Tagawa M. Development of a scale to evaluate medical professional identity formation. *BMC Med Educ*. 2019;**19**(1):63. [PubMed ID: 30819174]. [PubMed Central ID: PMC6394027]. <https://doi.org/10.1186/s12909-019-1499-9>.
- Wald HS, Anthony D, Hutchinson TA, Liben S, Smilovitch M, Donato AA. Professional identity formation in medical education for humanistic, resilient physicians: pedagogic strategies for bridging theory to practice. *Acad Med*. 2015;**90**(6):753-60. [PubMed ID: 25901874]. <https://doi.org/10.1097/acm.0000000000000725>.
- Crampton PES, Afzali Y. Professional identity formation, intersectionality and equity in medical education. *Med Educ*. 2021;**55**(2):140-2. [PubMed ID: 33179338]. <https://doi.org/10.1111/medu.14415>.
- Matthews J, Bialocerkowski A, Molineux M. Professional identity measures for student health professionals - a systematic review of psychometric properties. *BMC Med Educ*. 2019;**19**(1):308. [PubMed ID: 31409410]. [PubMed Central ID: PMC6693256]. <https://doi.org/10.1186/s12909-019-1660-5>.
- Broadhead RS. *The Private Lives and Professional Identity of Medical Students*. Oxfordshire, England.; Routledge; 2017.
- Brosnan C, Cribb A. Professional identity and epistemic stress: complementary medicine in the academy. *Health Sociology Review*. 2019;**28**:1-16. <https://doi.org/10.1080/14461242.2019.1678397>.
- Helmich E, Yeh HM, Kalet A, Al-Eraky M. Becoming a Doctor in Different Cultures: Toward a Cross-Cultural Approach to Supporting Professional Identity Formation in Medicine. *Acad Med*. 2017;**92**(1):58-62. [PubMed ID: 27782917]. <https://doi.org/10.1097/acm.0000000000001432>.
- Jarvis-Selinger S, MacNeil KA, Costello GRL, Lee K, Holmes CL. Understanding Professional Identity Formation in Early Clerkship: A Novel Framework. *Acad Med*. 2019;**94**(10):1574-80. [PubMed ID: 31192797]. <https://doi.org/10.1097/acm.0000000000002835>.
- Morrow G, Rothwell C, Burford B, Illing J. Cultural dimensions in the transition of overseas medical graduates to the UK workplace. *Med Teach*. 2013;**35**(10):e1537-45. [PubMed ID: 23782047]. <https://doi.org/10.3109/0142159x.2013.802298>.
- Wyatt TR, Balmer D, Rockich-Winston N, Chow CJ, Richards J, Zaidi Z. 'Whispers and shadows': A critical review of the professional identity literature with respect to minority physicians. *Med Educ*. 2021;**55**(2):148-58. [PubMed ID: 33448459]. <https://doi.org/10.1111/medu.14295>.
- Bloom TJ, Smith JD, Rich W. Impact of Pre-Pharmacy Work Experience on Development of Professional Identity in Student Pharmacists. *Am J Pharm Educ*. 2017;**81**(10):6141. [PubMed ID: 29367777]. [PubMed Central ID: PMC5774197]. <https://doi.org/10.5688/ajpe6141>.
- Alfaro P, Larouche SS, Ventura NM, Hudon J, Noel GP. Nursing and medical students near-peer activity in the anatomy laboratory: format for success. *Adv Med Educ Pract*. 2019;**10**:769-80. [PubMed ID: 31565014]. [PubMed Central ID: PMC6734457]. <https://doi.org/10.2147/amep.S209412>.
- Duyck W, Brysbaert M. Forward and Backward Number Translation Requires Conceptual Mediation in Both Balanced and Unbalanced Bilinguals. *J Exp Psychol Hum Percept Perform*. 2004;**30**:889-906. <https://doi.org/10.1037/0096-1523.30.5.889>.
- Kline RB. *Principles and practice of structural equation modeling*. New York: Guilford publications; 2015.
- de Vet HCW, Mokkink LB, Mosmuller DG, Terwee CB. Spearman-Brown prophecy formula and Cronbach's alpha: different faces of reliability and opportunities for new applications. *J Clin Epidemiol*. 2017;**85**:45-9. [PubMed ID: 28342902]. <https://doi.org/10.1016/j.jclinepi.2017.01.013>.
- Vaske J, Beaman J, Sponarski C. Rethinking Internal Consistency in Cronbach's Alpha. *Leisure Sci*. 2016;**39**:1-11. <https://doi.org/10.1080/01490400.2015.1127189>.
- Wu C, Palmer MH, Sha K. Professional identity and its influencing factors of first-year post-associate degree baccalaureate nursing students: A cross-sectional study. *Nurse Educ Today*. 2020;**84**:104227. [PubMed ID: 31683135]. <https://doi.org/10.1016/j.nedt.2019.104227>.
- Hooper D, Coughlan J, Mullen M. Structural Equation Modeling: Guidelines for Determining Model Fit. *E J Bus Res Meth*. 2007;**6**.
- Abachnick BG, Fidell LS, Ullman JB. *Using multivariate statistics*. Boston: Pearson Boston; 2007.
- Matsunaga M. Item Parceling in Structural Equation Modeling: A Primer. *Commun Methods Meas*. 2008;**2**:260-93.

- <https://doi.org/10.1080/19312450802458935>.
29. Clark PG. Narrative in interprofessional education and practice: implications for professional identity, provider-patient communication and teamwork. *J Interprof Care*. 2014;**28**(1):34-9. [PubMed ID: 24224865]. <https://doi.org/10.3109/13561820.2013.853652>.
 30. Hood K, Cant R, Baulch J, Gilbee A, Leech M, Anderson A, et al. Prior experience of interprofessional learning enhances undergraduate nursing and healthcare students' professional identity and attitudes to teamwork. *Nurse Educ Pract*. 2014;**14**(2):117-22. [PubMed ID: 23937910]. <https://doi.org/10.1016/j.nepr.2013.07.013>.
 31. Barone S, Lazzaro-Salazar M. 'Forty bucks is forty bucks': An analysis of a medical Doctor's professional identity. *lang COMM*. 2015;**43**:27-34. <https://doi.org/10.1016/j.langcom.2015.04.002>.
 32. Timoštšuk I, Ugaste A. Student teachers' professional identity. *Teach Teach Educ*. 2010;**26**:1563-70. <https://doi.org/10.1016/j.tate.2010.06.008>.
 33. Goldie J. The formation of professional identity in medical students: considerations for educators. *Med Teach*. 2012;**34**(9):e641-8. [PubMed ID: 22905665]. <https://doi.org/10.3109/0142159x.2012.687476>.
 34. Wong A, Trollope-Kumar K. Reflections: an inquiry into medical students' professional identity formation. *Med Educ*. 2014;**48**(5):489-501. [PubMed ID: 24712934]. <https://doi.org/10.1111/medu.12382>.
 35. Haruta J, Maeno T, Takayashiki A, Goto R, Ozone S, Maeno T. Validation of the professional self-identity questionnaire for medical students during clinical practice in Japan. *Int J Med Educ*. 2021;**12**:160-5. [PubMed ID: 34465656]. [PubMed Central ID: PMC8411342]. <https://doi.org/10.5116/ijme.610d.104b>.
 36. Gardeshi Z, Amini M, Nabeiei P. The perception of hidden curriculum among undergraduate medical students: a qualitative study. *BMC Res Notes*. 2018;**11**(1):271. [PubMed ID: 29728132]. [PubMed Central ID: PMC5935913]. <https://doi.org/10.1186/s13104-018-3385-7>.
 37. Salehi A, Harris N, Lotfi F, Hashemi N, Kojouri J, Amini M. Reform in medical and health sciences educational system: a Delphi study of faculty members' views at Shiraz University of Medical Sciences. *East Mediterr Health J*. 2014;**20**(3):151-61. [PubMed ID: 24950072].