



# Application of Path Analysis for The Effect of Spiritual Health on Self-efficacy by Mediation of Resilience Among Medical Students

Alireza Shamsi Lahijani<sup>1</sup>, Sakineh Rakhshanderou<sup>2,\*</sup>, Mohtasham Ghaffari <sup>3</sup>, Hossein Hatami <sup>4</sup>

<sup>1</sup> MD-MPH. Student, School of Public Health and Safety, Shahid Beheshti University of Medical Sciences, Tehran, Iran

<sup>2</sup> Associate Professor of Health Education & Health Promotion, School of Public Health and Safety, Shahid Beheshti University of Medical Sciences, Tehran, Iran

<sup>3</sup> Professor of Health Education & Health Promotion, School of Public Health and Safety, Shahid Beheshti University of Medical Sciences, Tehran, Iran

<sup>4</sup> Professor of Infectious Diseases and Public Health, School of Public Health and Safety, Shahid Beheshti University of Medical Sciences, Tehran, Iran

\*Corresponding Author: School of Public Health and Safety, Shahid Beheshti University of Medical Sciences, Tabnak Ave., Daneshjou Blvd., Velenjak, P. O. Box.: 19835-35511, Tehran, Iran. Tel: +98-21224320401, Fax: +98-21224320367, Email: s\_rakhshanderou@sbm.ac.ir

Received: 8 January, 2024; Revised: 26 October, 2024; Accepted: 29 October, 2024

## Abstract

**Background:** Given the importance of spiritual health, resilience, and Self-efficacy in medical students for coping with the challenges of their long training path, this study was conducted to analyze these variables and their correlations among a group of medical students.

**Methods:** This descriptive study was performed on 300 medical students. The subjects were randomly selected, their demographic information recorded, and they were asked to carefully complete the questionnaires. The Spiritual Well-Being Scale, the Connor-Davidson Resilience Scale, and Sherer's Self-efficacy Scale were used to measure spiritual health, resilience, and Self-efficacy, respectively. Data were analyzed using SPSS version 26 and EQS 6.4. Results were reported as mean  $\pm$  SD, and statistical significance was set at  $P$ -value  $\leq 0.05$ .

**Results:** In this study, the mean scores for spiritual health, resilience, and Self-efficacy were 73.02, 79.67, and 59.01, respectively. The results showed a positive and significant correlation between religious health and resilience ( $\beta = 0.34$ ,  $P < 0.001$ ) and between existential health and resilience ( $\beta = 0.33$ ,  $P < 0.001$ ). Additionally, a significant correlation was found between religious health and Self-efficacy, both directly and indirectly ( $\beta = 0.85$ ,  $P < 0.001$ ), and between existential health and Self-efficacy indirectly ( $\beta = 0.29$ ,  $P < 0.001$ ). Furthermore, resilience had a direct effect on Self-efficacy ( $\beta = 0.87$ ,  $P < 0.001$ ).

**Conclusions:** Spiritual health can predict resilience and Self-efficacy. Since individuals with high mental health demonstrate greater resilience, it can be concluded that providing supportive factors, such as religion and spirituality, to enhance mental health and spiritual intelligence can lead to improved resilience and Self-efficacy.

**Keywords:** Spiritual Health, Resilience, Self-efficacy, Medical Student

## 1. Background

According to the World Health Organization's definition of health, mental well-being is one of the most important dimensions of being healthy, alongside social and physical well-being (1). Mental health is a key health indicator related to thoughts, feelings, and behaviors. In other words, being mentally healthy is a state in which a person can overcome the natural stresses of life, work effectively, and participate in social activities. It enables individuals to be compatible with

themselves and others and cope with life's challenges. Thus, mental health is essential for maintaining proper social, occupational, and academic performance and achieving success (2).

In recent years, there has been increasing literature focusing on spiritual health and its influence on mental health indicators. Spiritual health can be defined as the ability to communicate with others, find meaning and purpose in life, and establish a relationship with an exalted power (e.g., God) (3). Individuals with high

spiritual health adapt to their issues and problems more easily, and strengthening spiritual health increases adaptability. Additionally, spiritual health fosters a new and positive attitude toward oneself, others, and the surrounding world (4).

Resilience, as a process, is the ability to adapt successfully to threatening conditions. It is considered a person's positive adaptation to adverse circumstances, including injuries and threats. However, resilience is not merely about stability in the face of damages or threatening situations. It is not a passive state but rather a dynamic and constructive behavior in the surrounding environment. Resilience serves as a protective factor, playing a critical role in an individual's success and survival in unfavorable circumstances (5, 6).

From Newman's perspective, mental resilience refers to the ability to adjust to difficulties. Within a disease stress model, individuals are believed to develop a disease or disorder only if they have the biological, psychological, or psychosocial predisposition to suffer from it and experience stress. However, many individuals with a predisposition to various diseases do not become ill. Effective resilience-based methods prevent people from being overwhelmed by stress (7). A person's successful coping with stressful factors and difficult life situations, along with physical health and psychological well-being, requires the additional ability of resilience (8).

Self-efficacy refers to a person's belief in their abilities to perform specific behaviors and can significantly influence their performance and well-being. Self-efficacy encompasses a person's trust and confidence in effectively performing self-care tasks, thereby enabling them to achieve more favorable outcomes from self-care efforts (9, 10).

Medical students are particularly prone to mental health problems due to the length of their studies, the necessity of their presence in hospitals, and their interactions with patients. A lack of complete mental health among students can lead to academic failure, reduced motivation, increased stress, and a considerable waste of intellectual potential in addressing such challenges (11, 12). The mental and spiritual health of students, especially medical students, is of particular importance, given their future roles in safeguarding the physical and mental health of others.

According to recent studies, the prevalence of mental illnesses among students worldwide is gradually increasing (13).

Studying spiritual health, resilience, and Self-efficacy in universities is crucial because these factors directly affect students' academic progress. Student life presents several challenges, including unfamiliarity with the new academic environment, distance from family, lack of interest in the field of study, difficulties in adapting to peers in a shared living environment, socioeconomic problems, and inadequate welfare facilities. These issues can provoke psychological distress and discomfort, ultimately leading to academic failure (14, 15).

Given the importance of mental health in addressing the challenges faced by medical students, this study measured the levels of spiritual health, resilience, and Self-efficacy among a group of medical students at Shahid Beheshti University of Medical Sciences.

## 2. Objectives

Additionally, the research aims to examine the impact of spiritual health on resilience and Self-efficacy and to evaluate the associations between these three variables. See the conceptual framework (Figure 1).

## 3. Methods


### 3.1. Population and Sample

The statistical population of the current study included all medical students of Shahid Beheshti University of Medical Sciences who were studying medicine during the 2021 academic year. From this population, a sample of 300 students was selected using the simple random sampling method, consisting of 172 males and 128 females. Voluntary participation was considered an inclusion criterion, while incomplete questionnaires were considered an exclusion criterion.

In addition to questions about their demographic characteristics, participants were asked to complete three questionnaires to assess their spiritual health, resilience, and Self-efficacy. The demographic data of the participants are presented in Table 1.

### 3.2. Measures

#### 3.2.1. Spiritual Health



**Figure 1.** A conceptual frame work showing the effect of spiritual health (consists of religious and existential health) on resilience and Self-efficacy

**Table 1.** Demographic Characteristics of the Studied Subjects

Demographic Characteristics and Subgroups	Frequency (%)
<b>Age</b>	
≥ 20	72 (24.0)
21 - 25	165 (55.0)
26 - 30	63 (21.0)
<b>Gender</b>	
Male	172 (57.3)
Female	128 (42.7)
<b>Marital status</b>	
Single	264 (88.0)
Married	36 (12.0)
<b>Educational level</b>	
Extern	83 (27.7)
Intern	139 (46.3)
Basic Science	78 (26.0)
<b>Economic status</b>	
Low	12 (4.0)
Middle	194 (64.7)
High	106 (35.3)
Very High	217 (72.3)

The Spiritual Well-Being Scale (SWB) was first designed by Ellison in 1983. He conceptualized spiritual well-being as having two components: Religious well-being (RWB) and existential well-being (EWB). Each subscale consists of ten items. Each item is rated on a 6-point Likert scale ranging from 1 (strongly disagree) to 6 (strongly agree). Scores in the current study range from 10 to 60 for each subscale. The total score for spiritual health is the sum of the scores from these two subgroups, ranging from 20 to 120.

The classification of scores is as follows: Low spiritual health (20 - 40), average spiritual health (41 - 99), and high spiritual health (100 - 120). Ellison reported the reliability of the SWB test as 0.93, with 0.96 for RWB and 0.86 for EWB. Additionally, Ellison established the scale's face validity and its theoretical correlation with other scales measuring spirituality (4).

The SWB scale was standardized in Iran by Seyedfatemi et al. in 2006, with validity assessed through qualitative content validity. The questionnaire's

**Table 2.** Descriptive Statistics of Spiritual Health, Resilience and Total Self-efficacy in the Studied Subjects

Variables	Minimum - Maximum	Mean $\pm$ SD	Skewness	Kurtosis
Religious. health	10.00 - 59.00	39.90 $\pm$ 13.74	-0.870	0.165
Existential. health	9.00 - 54.00	29.57 $\pm$ 10.77	0.441	-0.623
Spiritual	26.00 - 115.00	73.11 $\pm$ 23.45	-0.115	-0.637
Resilience	49.00 - 125.00	79.56 $\pm$ 17.92	-0.033	-0.348
Self. efficacy	33.00 - 85.00	59.07 $\pm$ 12.67	-0.177	-0.574

reliability was reported with a Cronbach's alpha of 0.82 (16).

### 3.2.2. Resilience

Resilience is measured using the Connor and Davidson Resilience Scale (CD-RISC). This questionnaire consists of 25 items and is designed to assess the level of resilience in individuals. Each item is rated on a 5-point Likert scale: 0 (not true at all), 1 (rarely true), 2 (sometimes true), 3 (often true), and 4 (true nearly all of the time) (17). The minimum possible resilience score on this scale is 0, and the maximum is 100.

Preliminary studies on the psychometric properties of this scale have confirmed its reliability and validity. Its internal consistency, test-retest reliability, and convergent and discriminant validity have been reported as adequate (18). Mohammadi standardized the scale in Iran, using exploratory factor analysis to establish validity and the Cronbach's alpha method to determine reliability. He reported a reliability coefficient of 0.89 for the Connor and Davidson Resilience Scale (19).

### 3.2.3. Self-efficacy

Sherer's Self-efficacy Scale is used to measure Self-efficacy. This scale consists of 17 statements. The scoring is based on a 5-point scale: Completely disagree (1 point), disagree (2 points), intermediate (3 points), agree (4 points), and completely agree (5 points). The highest possible score is 85, and the lowest is 17. The scoring of questions 2, 4, 5, 7, 11, 12, 14, and 16 is reversed. A higher score on this scale (closer to 85) indicates greater Self-efficacy, and vice versa (20).

Woodruff and Cashman validated this scale and confirmed its reliability, reporting an internal consistency coefficient of 0.83 (21). In Asgharnejad et

al.'s research, the Cronbach's alpha reliability coefficient was also reported as 0.83 (22).

In this study, the validity of the scale was assessed using factor analysis with principal components analysis and varimax rotation, applied to the 17 items of the questionnaire. Preliminary tests were conducted to evaluate the suitability of the sample for factor analysis, including the Kaiser-Meyer-Olkin (KMO) measure of sampling adequacy and Bartlett's test of sphericity. The KMO coefficient was 0.87, and Bartlett's test result was 408.1553 ( $P < 0.001$ ), indicating the appropriateness of the data for factor analysis. The factor analysis results revealed three factors with eigenvalues greater than one.

### 3.3. Statistical Analysis

To check the normal distribution of the data, skewness and kurtosis tests were used, with acceptable values in the interval (-2, 2). The data were statistically analyzed using descriptive statistical methods, including frequency, percentage, mean, and standard deviation. Additionally, Pearson's correlation coefficient and path analysis were applied. The analyses were performed using SPSS version 16 and EQS 6.4 software.

## 4. Results

### 4.1. Demographic Characteristics of the Studied Subjects

Table 1 presents the demographic characteristics of the studied subjects, including age, gender, marital status, educational level, economic status, and the number of family members.

A total of 300 medical students participated in this study, comprising Externs (27.7%), Interns (46.3%), and Basic Science students (26%). Of these participants, 57% were male, and 43% were female. Additionally, 88% of the studied subjects were single, while 12% were married.

**Table 3.** Examining the Correlation Between Spiritual Health, Existential Health, Resilience and Self-efficacy in the Studied Subjects

Variables	Religious Health	Existential Health	Spiritual Health	Resilience
<b>Existential Health</b>				
Pearson Correlation	0.587**	1		
P-value	< 0.001			
<b>Spiritual health</b>				
Pearson Correlation	0.918**	0.858**	1	
P-value	< 0.001	< 0.001		
<b>Resilience</b>				
Pearson Correlation	0.530**	0.527**	0.615**	1
P-value	< 0.001	< 0.001	< 0.001	
<b>Self-efficacy</b>				
Pearson Correlation	-0.040	0.235**	0.111	0.620**
P-value	0.494	< 0.001	0.060	< 0.001

Regarding economic status, 2% of participants reported poor financial status, 62.5% had average financial status, 31.5% had good financial status, and 4% had excellent financial status (Table 1).

Table 2 presents the descriptive statistics, including the minimum, maximum, mean, and standard deviation of the variable's spiritual health, resilience, and total Self-efficacy in the studied subjects. The mean values for spiritual health, resilience, and Self-efficacy were 73.02, 79.67, and 59.01, respectively.

The skewness values indicate the symmetry of the data distribution, while the kurtosis values reflect whether the data are heavy-tailed or light-tailed relative to a normal distribution. These metrics provide insight into the distribution characteristics of the variables (Table 2).

The results of the Pearson correlation test indicate a direct and significant statistical correlation between resilience and Self-efficacy ( $r = 0.620$ ), demonstrating that Self-efficacy increases significantly as resilience improves. Additionally, the analysis shows a direct and significant correlation between spiritual health and resilience ( $r = 0.615$ ), suggesting that resilience increases significantly with an improvement in spiritual health (Table 3 and Figure 2).

The results of the final model, as illustrated in Figure 3, indicate that all fit indices fall within an acceptable range, confirming that the current model has a good fit (Table 4).

The direct and indirect effects of spiritual health (comprising religious and existential health) on

resilience and Self-efficacy were calculated based on the correlations obtained in the path analysis, with the values shown in Table 5. As indicated in the table, religious health has a 55% positive and significant direct effect on Self-efficacy, while resilience exhibits an 87% positive and significant direct effect on Self-efficacy (Table 5 and Figure 3).

## 5. Discussion

The data analysis outcomes demonstrated that the mean spiritual health score was 73.02. Additionally, the mean total resilience score was 79.67, and the mean Self-efficacy score was 59.09. Asghari et al.'s study in 2014 reported an average spiritual health score of 82.29 and an average academic Self-efficacy score of 106.14, which were higher than those in the current study. These differences may be attributed to variations in sample size, university type, and conditions (23). The variable of Self-efficacy shows a direct and significant statistical correlation with resilience and its subscales, indicating that an increase in Self-efficacy is significantly associated with an increase in resilience and its subcomponents.

Spiritual health is a fundamental concept in coping with problems and stresses arising from various life conditions. As one of the dimensions of health, it contributes to the integration of other dimensions. Since Self-efficacy refers to a person's belief in their abilities and skills, it can be inferred that high spiritual health enables individuals to make accurate judgments about their skills and abilities with a positive self-view. This, in turn, fosters both high spiritual health and high




Figure 2. First model of the effect of spiritual health (consists of religious and existential health) on resilience and Self-efficacy




Figure 3. Final model of the effect of spiritual health (consists of religious and existential health) on resilience and Self-efficacy

Self-efficacy (3). Although no prior study has specifically examined the correlation between spiritual health and Self-efficacy, some research has demonstrated a positive relationship between spirituality and Self-efficacy. In 2007, Adegbola conducted a study investigating the correlation between spirituality, Self-efficacy, and quality of life in adults with diseases. The findings revealed a strong correlation between these variables, indicating that individuals with firm spiritual beliefs tend to exhibit higher Self-efficacy and quality of life (24).

The results indicated that among the dimensions of spiritual health, existential health had the highest predictive value for students' Self-efficacy. Existential health, as a psychosocial element, reflects a person's sense of identity, purpose, and belonging. While religious health focuses on guiding individuals toward

God, existential health represents the external aspect of spiritual health, manifesting in social interactions and relationships. Thus, it can be concluded that receiving appropriate and supportive feedback from the environment enhances a person's belief in Self-efficacy. When individuals receive encouragement and social support, their Self-efficacy improves. In this context, a study by Li et al. found that increased social support for students reduced depressive symptoms, potentially promoting their physical and mental health (25).

Individuals who perceive potential threats as unmanageable often view many aspects of their environment as dangerous, magnify potential risks, and worry excessively about unlikely events. These thought patterns, stemming from low Self-efficacy, lead to anxiety and impaired performance. However, the higher a person's spiritual health, the higher their Self-efficacy,



**Table 4.** Goodness of Fit Statistics of the Research Model

Fit Index	Amount	Acceptable Domain
CMIN/DF	3.21	1- 5
GFI	0.92	> 0.90
AGFI	0.91	> 0.90
CFI	0.94	> 0.90
IFI	0.93	> 0.90
NFI	0.91	> 0.90
RMR	0.05	< 0.08
SRMR	0.04	< 0.08
RMSEA	0.07	< 0.08

**Table 5.** Path Analysis of the Effect of Spiritual Health (Consists of Religious and Existential Health) on Resilience and Self-efficacy

Variables	Direct Effect	Indirect Effect	Total Effect
Religious health to Self-efficacy	0.55 <sup>a</sup>	0.30 <sup>a</sup>	0.85 <sup>a</sup>
Existential health to Self-efficacy	-	0.29 <sup>a</sup>	0.29 <sup>a</sup>
Religious health to existential health	0.57	-	0.57 <sup>a</sup>
Resilience to Self-efficacy	0.87 <sup>a</sup>	-	0.87 <sup>a</sup>

<sup>a</sup> P < 0.001.

enabling them to cope more adaptively with stressful and threatening conditions.

The spiritual health variable also demonstrated a significant correlation with resilience, with increases in spiritual health significantly improving resilience and its subscales. This finding suggests that spiritual health, as a dimension of overall health, can create fundamental changes in individuals, enhancing their resilience. These results align with those of Friberg et al. (26), whose research on the mediating role of resilience in relation to fear and anxiety revealed a positive and significant association between resilience and various dimensions of health and life satisfaction.

Additionally, our findings are consistent with studies by Valentine and Feinauer (27), Pargament et al. (28), Werner (29), Park (30), Kalayjian and Shahinian (31), Hauser (32), Smith (33), and Coşkun et al. (34). These studies demonstrated that spiritual beliefs and finding personal meaning in distressing circumstances positively influence a person's resilience and coping abilities.

Our study indicates a positive and significant correlation between the existential health and resilience of students. This finding suggests that existential

health, as an influential variable, can enhance resilience and make individuals more patient. This result aligns with the review by Kim et al. in 2005, which found a correlation between resilience and the meaningfulness of life. According to their study, increasing the meaningfulness of life not only helps individuals overcome inconsistencies but also improves their overall life satisfaction (35). Having a purpose plays a critical role in helping people navigate incompatible situations (36). Similarly, this finding is consistent with the study conducted by Hatami and Shekarchizadeh in 2022 (37). Both existential health and spiritual health variables significantly predict resilience. In other words, as existential and spiritual health improve, students' resilience is expected to increase.

According to the present research, one measure to enhance resilience is to consider the cultural patterns and societal context of individuals. Differences in resilience can be attributed to experiences in various domains, including access to material resources, interpersonal communication, sense of identity, cultural compliance, social justice, control and power, and solidarity. Individual characteristics such as communication skills, coping abilities, problem-solving

skills, empathy, self-esteem, and other positive personal and environmental-social traits (both within and outside the family) also significantly impact resilience.

Spirituality, as one of the components of resilience according to Connor and Davidson, can enhance a person's resistance to life's stresses, acting as a shield (protective factor) on one hand and, on the other, as a factor of adaptability and compromise that can guide a person toward excellence and perfection (elevating factor). Both the defensive and transformational aspects of beliefs and spiritual values related to resilience are closely connected to the improvement of health indicators.

One measure that can be proposed in this field is the adoption of a spiritual approach in higher education curricula—in other words, emphasizing the importance of a spiritual curriculum.

According to the stated content, it is suggested that the elements of a spiritual curriculum be designed to promote the all-round development of the learner. Students should be viewed as individuals with diverse natural talents. For this purpose, the following suggestions are proposed for designing a spiritual curriculum in higher education:

- Determining the Goals of the Spiritual Curriculum: Establish goals based on the indicators of self-awareness, world-awareness, and God-awareness to address students' psychological, biological, and innate spiritual needs.

- Adopting a Relative and Comparative Perspective in Content Selection: Use a relative and comparative approach in selecting the content of the spiritual curriculum. This perspective involves comparing and analyzing the differences and similarities in the beliefs and opinions of various religions. Faith developed through this method is likely to be strong, internal, and resilient to external deterioration. Additionally, this approach, which encourages criticism and judgment about different religions, facilitates dialogue and interaction between cultures.

- Organizing the Learning Environment: Create a learning environment that fosters spirituality, critical thinking, teamwork, and active engagement in learning. A spiritual curriculum requires an environment that promotes flexibility, creativity, vitality, commitment, and reflection. The personalities of students and

professors should be respected through targeted mental productivity. Such an environment should allow for new insights to be interpreted from various perspectives, with these interpretations leading to deeper understanding.

### 5.1. Conclusions

This study is among the first to examine the effect of spiritual health on medical students' Self-efficacy and resilience. Our findings indicate that Self-efficacy has a direct and significant statistical correlation with resilience and its subscales but shows no associative correlation with overall spiritual health. Spiritual health, however, has a significant correlation with resilience, and an increase in spiritual health enhances resilience and its subscales. While spiritual health can predict resilience, it cannot predict Self-efficacy. Given that individuals with high mental health exhibit higher levels of these variables, it can be concluded that supportive factors such as religion and spirituality can contribute to improving mental health components, including resilience.

### 5.2. Limitations

One of the limitations of the present research is the use of self-report methods for completing the questionnaires. Additionally, there are numerous factors that influence Self-efficacy, many of which were not measured in this study.

### Acknowledgements

The authors would like to acknowledge the Faculty of MPH of Shahid Beheshti medical university of Tehran for their support and contribution to this study and medical students of Shahid Beheshti for their cooperation.

### Footnotes

**Authors' Contribution:** S. R. designed the study and analyzed the data and edited the article. A. S. carried out the study and edited the article. M. G. consultant for designing and editing the article; H. H. consultant for designing and editing the article.



**Conflict of Interests Statement:** The authors declared that they have no conflict of interest.

**Data Availability:** The datasets generated and analyzed during the current study are not publicly available due to protect study participants' privacy but are available from the corresponding author on reasonable request.

**Ethical Approval:** This study is committed to the principles of Helsinki, the information of the samples will remain confidential, and they will be used only for research purposes. This article has Ethics Committee Approval with ID: [IR.SBMU.PHNS.REC.1400.185](#) in the Faculty of MPH in Shahid Beheshti University of Medical Sciences.

**Funding/Support:** The authors declared no funding.

**Informed Consent:** Written informed consent was obtained from all participants in this study.

## References

- World Health Organization. *Constitution of the world health organization*. 1995. Available from: <https://apps.who.int/gb/bd/pdf/bd47/en/constitution-en.pdf>.
- Robbins SB, Lauer K, Le H, Davis D, Langley R, Carlstrom A. Do psychosocial and study skill factors predict college outcomes? A meta-analysis. *Psychol Bull*. 2004;**130**(2):261-88. [PubMed ID: [14979772](#)]. <https://doi.org/10.1037/0033-2909.130.2.261>.
- Tanyi RA. Towards clarification of the meaning of spirituality. *J Adv Nurs*. 2002;**39**(5):500-9. [PubMed ID: [12175360](#)]. <https://doi.org/10.1046/j.1365-2648.2002.02315.x>.
- Ellison CW. Spiritual Well-Being: Conceptualization and Measurement. *Journal of Psychology and Theology*. 1983;**11**(4):330-8. <https://doi.org/10.1177/009164718301100406>.
- Association AP. *The road to resilience*. 2004. Available from: <http://helping.apa.org/resilience/>.
- Isobe A, Izumi M, Akifusa S. Relationship Between Resilience and Self-Rated Health in Dental Hygiene Students and Registered Dental Hygienists. *J Dent Educ*. 2018;**82**(12):1343-50. [PubMed ID: [30504473](#)]. <https://doi.org/10.21815/JDE.018.142>.
- Newman R. APA's resilience initiative. *Professional Psychology: Research and Practice*. 2005;**36**(3):227-9. <https://doi.org/10.1037/0735-7028.36.3.227>.
- Richardson GE. The metatheory of resilience and resiliency. *J Clin Psychol*. 2002;**58**(3):307-21. [PubMed ID: [11836712](#)]. <https://doi.org/10.1002/jclp.10020>.
- Bandura A. *Self-efficacy: The exercise of control*. 604. New York, NY, US: Freeman; 1997.
- Domenech-Betoret F, Abellan-Rosello L, Gomez-Artiga A. Self-Efficacy, Satisfaction, and Academic Achievement: The Mediator Role of Students' Expectancy-Value Beliefs. *Front Psychol*. 2017;**8**:1193. [PubMed ID: [28769839](#)]. [PubMed Central ID: [PMC5513915](#)]. <https://doi.org/10.3389/fpsyg.2017.01193>.
- Jafari N, Loghmani A, Montazeri A. P-I011 - Mental health of medical students in different levels of training. *European Psychiatry*. 2012;**27**. [https://doi.org/10.1016/s0924-9338\(12\)75178-7](https://doi.org/10.1016/s0924-9338(12)75178-7).
- Sahu PK, Nayak BS, Rodrigues V, Umakanthan S. Prevalence of Psychological Distress among Undergraduate Medical Students: A Cross-Sectional Study. *Int J Appl Basic Med Res*. 2020;**10**(4):270-5. [PubMed ID: [33376702](#)]. [PubMed Central ID: [PMC7758794](#)]. [https://doi.org/10.4103/ijabmr.IJABMR\\_100\\_19](https://doi.org/10.4103/ijabmr.IJABMR_100_19).
- Hussain R, Guppy M, Robertson S, Temple E. Physical and mental health perspectives of first year undergraduate rural university students. *BMC Public Health*. 2013;**13**:848. [PubMed ID: [24034822](#)]. [PubMed Central ID: [PMC3847612](#)]. <https://doi.org/10.1186/1471-2458-13-848>.
- Najimi A, Sharifirad G, Amini MM, Meftagh SD. Academic failure and students' viewpoint: The influence of individual, internal and external organizational factors. *J Educ Health Promot*. 2013;**2**:22. [PubMed ID: [24083272](#)]. [PubMed Central ID: [PMC3778557](#)]. <https://doi.org/10.4103/2277-9531.112698>.
- Hefner J, Eisenberg D. Social support and mental health among college students. *Am J Orthopsychiatry*. 2009;**79**(4):491-9. [PubMed ID: [20099940](#)]. <https://doi.org/10.1037/a0016918>.
- Seyedfatemi N, Rezaie M, Givari A, Hosseini F. Prayer and spiritual well-being in cancer patients. *Payesh (Health Monitor)*. 2006;**5**(4):0.
- Connor KM, Davidson JR. Development of a new resilience scale: the Connor-Davidson Resilience Scale (CD-RISC). *Depress Anxiety*. 2003;**18**(2):76-82. [PubMed ID: [12964174](#)]. <https://doi.org/10.1002/da.10113>.
- Campbell-Sills L, Cohan SL, Stein MB. Relationship of resilience to personality, coping, and psychiatric symptoms in young adults. *Behav Res Ther*. 2006;**44**(4):585-99. [PubMed ID: [15998508](#)]. <https://doi.org/10.1016/j.brat.2005.05.001>.
- Mohammadi M. *Investigating the Effective Factors of Distribution in Persons at Risk of Expenditure [dissertation]*. University of Social Welfare Rehab; 2005.
- Sherer M, Adams CH. Construct Validation of the Self-Efficacy Scale. *Psychological Reports*. 1983;**53**(3):899-902. <https://doi.org/10.2466/pr0.1983.53.3.899>.
- Woodruff SL, Cashman JF. Task, Domain, and General Efficacy: A Reexamination of the Self-Efficacy Scale. *Psychological Reports*. 1993;**72**(2):423-32. <https://doi.org/10.2466/pr0.1993.72.2.423>.
- Asgharnejad T, Ahmadi DM, Farzad VE, Khodapanahi MK. [Psychometric properties of sherer's general self-efficacy scale]. *J Psychology and Theology*. 2006. FA.
- Asghari F, Saadat S, Atefi Karajvandani S, Janalizadeh Kokaneh S. [The Relationship between Academic Self-Efficacy and Psychological Well-Being, Family Cohesion, and Spiritual Health Among Students of Kharazmi University]. *Iranian J Med Education*. 2014;**14**(7):581-93.
- Adegbola M. Genomics and pain research in sickle cell disease: an explanation of heterogeneity? *ISRN Nurs*. 2011;**2011**:672579. [PubMed ID: [21808743](#)]. [PubMed Central ID: [PMC3146762](#)]. <https://doi.org/10.5402/2011/672579>.
- Li Y, Liang F, Xu Q, Gu S, Wang Y, Li Y, et al. Social Support, Attachment Closeness, and Self-Esteem Affect Depression in International Students in China. *Front Psychol*. 2021;**12**:618105. [PubMed ID:

- 33746837]. [PubMed Central ID: PMC7969666]. <https://doi.org/10.3389/fpsyg.2021.618105>.
26. Friborg O, Hjemdal O, Rosenvinge JH, Martinussen M, Aslaksen PM, Flaten MA. Resilience as a moderator of pain and stress. *J Psychosom Res.* 2006;**61**(2):213-9. [PubMed ID: 16880024]. <https://doi.org/10.1016/j.jpsychores.2005.12.007>.
  27. Valentine L, Feinauer LL. Resilience factors associated with female survivors of childhood sexual abuse. *The American Journal of Family Therapy.* 2007;**21**(3):216-24. <https://doi.org/10.1080/01926189308250920>.
  28. Pargament KI, Smith BW, Koenig HG, Perez L. Patterns of Positive and Negative Religious Coping with Major Life Stressors. *Journal for the Scientific Study of Religion.* 1998;**37**(4). <https://doi.org/10.2307/1388152>.
  29. Werner EE. Vulnerable but invincible: high-risk children from birth to adulthood. *Acta Paediatr Suppl.* 1997;**422**:103-5. [PubMed ID: 9298804]. <https://doi.org/10.1111/j.1651-2227.1997.tb18356.x>.
  30. Park CL. Stress-Related Growth and Thriving Through Coping: The Roles of Personality and Cognitive Processes. *Journal of Social Issues.* 2010;**54**(2):267-77. <https://doi.org/10.1111/j.1540-4560.1998.tb01218.x>.
  31. Kalayjian A, Shahinian SP. Recollections of aged Armenian survivors of the Ottoman Turkish genocide: Resilience through endurance, coping, and life accomplishments. *Psychoanalytic review.* 1998;**85**(4):489.
  32. Hauser ST. Understanding Resilient Outcomes: Adolescent Lives Across Time and Generations. *Journal of Research on Adolescence.* 1999;**9**(1):1-24. [https://doi.org/10.1207/s15327795jra0901\\_1](https://doi.org/10.1207/s15327795jra0901_1).
  33. Smith BW, Tooley EM, Montague EQ, Robinson AE, Cosper CJ, Mullins PG. The role of resilience and purpose in life in habituation to heat and cold pain. *J Pain.* 2009;**10**(5):493-500. [PubMed ID: 19345153]. <https://doi.org/10.1016/j.jpain.2008.11.007>.
  34. Coşkun YD, Garipağaoğlu Ç, Tosun Ü. Analysis of the Relationship between the Resiliency Level and Problem Solving Skills of University Students. *Procedia - Social and Behavioral Sciences.* 2014;**114**:673-80. <https://doi.org/10.1016/j.sbspro.2013.12.766>.
  35. Kim T, Lee SM, Yu K, Lee S, Puig A. Hope and the meaning of life as influences on Korean adolescents' resilience: Implications for counselors. *Asia Pacific Education Review.* 2005;**6**(2):143-52. <https://doi.org/10.1007/bf03026782>.
  36. Schippers MC, Ziegler N. Life Crafting as a Way to Find Purpose and Meaning in Life. *Front Psychol.* 2019;**10**:2778. [PubMed ID: 31920827]. [PubMed Central ID: PMC6923189]. <https://doi.org/10.3389/fpsyg.2019.02778>.
  37. Hatami S, Shekarchizadeh H. Relationship between spiritual health, resilience, and happiness among a group of dental students: a cross-sectional study with structural equation modeling method. *BMC Med Educ.* 2022;**22**(1):184. [PubMed ID: 35296319]. [PubMed Central ID: PMC8928650]. <https://doi.org/10.1186/s12909-022-03243-8>.